

The death of a close friend hits unexpectedly hard

May 13 2019



Credit: CC0 Public Domain

The trauma caused by the death of a close friend endures four times longer than previously believed, according to new research from The Australian National University (ANU).

The researchers warn a lack of recognition about the time it takes people to mourn a close friend is leading to inadequate support being made available during the grieving process.

The study shows the [death](#) of a close friend will significantly affect a person's physical, psychological and social well-being up to at least four years.

Previous studies suggested the grieving period lasted for around 12 months.

The study analysed longitudinal data and indicators of [health](#) from the Household, Income and Labour Dynamics in Australia Survey of 26,515 Australians, of whom 9,586 had experienced the death of at least one close friend.

Lead author Dr. Wai-Man (Raymond) Liu said the study found people grieving a close friend suffered a significant decline in [physical health](#), [mental health](#), emotional stability and social life.

"These findings raise serious concerns with the way we manage the recovery for people dealing with the loss of a close friend," said Dr. Lui.

"We found there are serious declines in the health and wellbeing of people who had experienced the death of a close friend any time in the last four years.

"We all know that when someone loses a partner, parent or child, that person is likely to suffer through a significant grieving period.

"Yet death of a close friend, which most of us will experience, is not afforded the same level of seriousness by employers, doctors, and the community.

"The death of a friend is a form of disenfranchised grief—one not taken so seriously or afforded such significance"

"This is leaving people without the support and services they need during a very traumatic period of their lives."

Dr. Liu has called on [medical practitioners](#) and [policy makers](#) to rethink the way they approach dealing with people's grief after the loss of a friend.

"We need to recognise the death of a close [friend](#) takes a serious toll, and to offer health and psychological services to assist these people over an adequate period of time."

More information: Wai-Man Liu et al. Death of a close friend: Short and long-term impacts on physical, psychological and social well-being, *PLOS ONE* (2019). [DOI: 10.1371/journal.pone.0214838](https://doi.org/10.1371/journal.pone.0214838)

Provided by Australian National University

Citation: The death of a close friend hits unexpectedly hard (2019, May 13) retrieved 4 May 2024 from <https://medicalxpress.com/news/2019-05-death-friend-unexpectedly-hard.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--