


The GPS of neurons now better understood

May 1 2019



Credit: CC0 Public Domain

Our nerves consist of small cables responsible for circulating information to every part of our body, allowing us, for instance, to move. These cables are actually cells called neurons with long extensions named axons.

Frédéric Charron, a researcher at the Montreal Clinical Research Institute (IRCM) and a molecular biology professor at Université de Montréal, and his team have recently shed light on a system that tells our neurons how to build the delicate circuits of our nervous system. The

discovery by this group of researchers, all from the IRCM, appeared in the prestigious journal *Neuron*. This work may one day contribute to the development of treatments for people with a spinal cord injury or a [genetic disorder](#) affecting their [motor function](#).

The Tom Thumb of neurons

The human nervous systems develop during pregnancy—for about 30 weeks. This long-term process is crucial.

"The way each neuron is guided toward its target is critical, since our five senses and motor functions rely on this network and its organization," says Frédéric Charron, who is director of the Molecular Biology of Neural Development Research Unit at the IRCM. "A bad connection can lead to cognitive, motor or sensory disorders."

To grow correctly and connect to the right targets, [neurons](#) rely on "signals" that guide them to the right path, like a GPS. Dr. Charron's group is particularly interested in one of them: Sonic hedgehog (Shh).

Similar to a magnet, Shh attracts the extension of the neuron, the axon, by binding to a receptor located on its surface—the molecule Boc. Until now, scientists did not know how Shh acted on its receptor. The team of Frédéric Charron demonstrated that the Boc receptor directs the axon through a system similar to...Tom Thumb.

"It's as if Shh molecules are breadcrumbs that guide the axon," explains Julien Ferent, a postdoctoral fellow and the first author of the article. "When the Boc receptor detects them, the membrane at the end of the axon "gobbles" Shh, penetrating the axon inwardly (a process called endocytosis)." Then, the axon continues its path toward places where Shh is present in higher concentration.

The efforts of the IRCM researchers make it possible to better understand the formation of the nervous system. This breakthrough could, for example, contribute to the creation of tools in regenerative medicine to reconstitute nervous circuits, which would have otherwise been damaged by an accident, causing paralysis.

Provided by University of Montreal

Citation: The GPS of neurons now better understood (2019, May 1) retrieved 23 April 2024 from <https://medicalxpress.com/news/2019-05-gps-neurons-understood.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.