

## No evidence of legacy effect seen for intensive glucose lowering

June 6 2019



(HealthDay)—There seems to be no evidence of a legacy effect or



mortality benefit for intensive glucose control among military veterans with type 2 diabetes, according to a study published in the June 6 issue of the *New England Journal of Medicine*.

Peter D. Reaven, M.D., from the Phoenix Veterans Affairs Health Care System, and colleagues report 15-year follow-up for intensive versus standard glucose lowering following a trial involving 1,791 military veterans with type 2 diabetes.

The separation of glycated hemoglobin curves between the intensiveand standard-therapy groups averaged 1.5 points during the trial and declined after the trial ended. The researchers found that the risks for major cardiovascular events or death were not lower in the intensivetherapy group versus the standard-therapy group during a period of 15 years of follow-up (active treatment plus post-trial observation; hazard ratio for primary outcome, 0.91; 95 percent confidence interval, 0.78 to 1.06; P = 0.23; hazard ratio for death, 1.02; 95 percent confidence interval, 0.88 to 1.18). During an extended interval of separation of the glycated hemoglobin curves, the risk for major cardiovascular disease outcomes was reduced (hazard ratio, 0.83; 95 percent confidence interval, 0.70 to 0.99). After equalization of the glycated hemoglobin levels, the benefit did not persist (hazard ratio, 1.26; 95 percent confidence interval, 0.90 to 1.75).

"A major implication of the Veterans Affairs Diabetes Trial follow-up study is that <u>older patients</u> with advanced <u>diabetes</u> should not expect long-term cardiovascular benefits from intensive glycemic control," write the authors of an accompanying editorial.

More information: Abstract/Full Text (subscription or payment may be required)

Editorial (subscription or payment may be required)



## Copyright © 2019 HealthDay. All rights reserved.

Citation: No evidence of legacy effect seen for intensive glucose lowering (2019, June 6) retrieved 5 May 2024 from

https://medicalxpress.com/news/2019-06-evidence-legacy-effect-intensive-glucose.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.