


# A hidden truth: Hospital faucets are often home to slime and biofilm

June 27 2019

---



Sinks and faucets tested at the University of Michigan Health System revealed slime and biofilm. Credit: University of Michigan Health System

Hand hygiene is a critical component of infection prevention in hospitals, but the unintended consequences include water splashing out of a sink to spread contaminants from dirty faucets according to new research presented last week in Philadelphia at the 46th Annual Conference of the Association for Professionals in Infection Control and Epidemiology (APIC).

Researchers at the University of Michigan Health System assessed eight different designs across four intensive care units to determine how dirty sinks and faucets really are. They found that a shallow depth of the sink bowl enabled potentially contaminated water to splash onto patient care items, healthcare worker hands, and into patient care spaces—at times at a distance of more than four feet from the sink itself.

"The inside of faucets where you can't clean were much dirtier than expected," said study author Kristen VanderElzen, MPH, CIC.

"Potentially hazardous germs in and around sinks present a quandary for [infection](#) preventionists, since having accessible sinks for hand washing is so integral to everything we promote. Acting on the information we found, we have undertaken a comprehensive faucet replacement program across our hospital."

To identify the grime level of the sinks, the researchers used adenosine triphosphate (ATP) monitoring to measure the cleanliness. Visible biofilm was associated with higher ATP readings, and cultures tested over the course of the study grew *Pseudomonas aeruginosa*, mold, and other environmental organisms.



Sinks and faucets tested at the University of Michigan Health System revealed slime and biofilm. Credit: University of Michigan Health System

The research team also found aerators on sinks where they had previously been removed, pointing to an overall inconsistency of equipment protocols across the facility. Included in the design improvement program were sink guards, which were shown to limit splash significantly.

"As we learn more about the often stealthy ways in which germs can spread inside [healthcare facilities](#), infection preventionists play an increasingly important role in healthcare facility design—including in the selection of sink and faucet fixtures—as this study illustrates," said 2019 APIC President Karen Hoffmann, RN, MS, CIC, FSHEA, FAPIC. "Because the healthcare environment can serve as a source of resistant organisms capable of causing dangerous infections, an organization's infection prevention and control program must ensure that measures are in place to reduce the risk of transmission from environmental sources and monitor compliance with those measures."

**More information:** Kristen VanderElzen et al, The Hidden Truth in the Faucets: A QualityImprovement Project and Splash Study of Hospital Sinks, *American Journal of Infection Control* (2019). [DOI:](#)

[10.1016/j.ajic.2019.04.048](https://doi.org/10.1016/j.ajic.2019.04.048)

Provided by Association for Professionals in Infection Control

Citation: A hidden truth: Hospital faucets are often home to slime and biofilm (2019, June 27)  
retrieved 9 April 2024 from

<https://medicalxpress.com/news/2019-06-hidden-truth-hospital-faucets-home.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--