

Women with obesity prior to conception are more likely to have children with obesity

June 11 2019



A systematic review and meta-analysis identified significantly increased odds of child obesity when mothers have obesity before conception, according to a study published June 11, 2019 in the open-access journal *PLOS Medicine* by Nicola Heslehurst of Newcastle University in the UK, and colleagues. Credit: trestletech, Pixabay

A systematic review and meta-analysis identified significantly increased odds of child obesity when mothers have obesity before conception, according to a study published June 11 in the open-access journal *PLOS Medicine* by Nicola Heslehurst of Newcastle University in the UK, and colleagues.

Obesity is a leading cause of life-long poor health globally, and is significantly associated with inequalities. Capitalizing on opportunities for early-life prevention of obesity is a priority for public health, global health and clinical practice. Understanding the association between [childhood obesity](#) and maternal pre-pregnancy weight status would inform policy and practice by allowing resources to be channeled into intervention. In the new study, Heslehurst and her colleagues aimed to estimate the extent to which a mother's pre-pregnancy body mass index is associated with the weight status of their children. This [systematic review](#) included 79 [observational studies](#) that investigated maternal pre-pregnancy body mass index and childhood weight status.

The results revealed significantly increased odds of child obesity with [maternal obesity](#) (OR 3.64, 95% CI 2.68-4.95) and maternal overweight (ORs 1.89, 95% CI 1.62-2.19). Significantly increased odds were observed for child overweight/obesity (OR 2.69, 95% CI 2.10-3.46) and for child overweight (OR 1.80, 95% CI 1.25-2.59) with maternal obesity. This study provides substantial evidence for the need to develop interventions that commence prior to conception, to support women of childbearing age with weight management, in order to combat intergenerational obesity. According to the authors, paying more attention to the preconception period in obesity prevention interventions may help to address the complex early-life inequalities associated with [obesity](#) development.

More information: Heslehurst N, Vieira R, Akhter Z, Bailey H, Slack E, Ngongalah L, et al. (2019) The association between maternal body

mass index and child obesity: A systematic review and meta-analysis.
PLoS Med 16(6): e1002817. doi.org/10.1371/journal.pmed.1002817

Provided by Public Library of Science

Citation: Women with obesity prior to conception are more likely to have children with obesity (2019, June 11) retrieved 1 May 2024 from <https://medicalxpress.com/news/2019-06-women-obesity-prior-conception-children.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.