


BioSA: Bridging the gap with biodegradable metals

July 1 2019



Scanning Electron Microscopy image of the first BioSA prototype. Credit: University of Malta

Millions of patients all over the world undergo surgical procedures related to bone defect repair every year. With an ever-increasing life expectancy and the issues that come with a decaying skeleton, the number of interventions can only increase in the coming years. This is why orthopaedic surgeons are constantly looking for improved medical implants for the treatment of bone repair.

Following certain surgeries and traumatic experiences, like [traffic accidents](#), patients often suffer from significant fractures and losses to

the bone, referred to as bone defects. Bone scaffolds are porous implants that are used in order to fill significantly large defects. While the currently available solutions are suitable when implanted in non-load bearing areas, like the face, using a stronger material could result in a more attractive option when filling defects in load-bearing areas, like the bones found in legs.

The University of Malta has teamed up with Mater Dei Hospital to address the shortcomings of current bone scaffolds on the market in a project entitled Biodegradable Iron for Orthopaedic Scaffold Applications—BioSA. The project is being led by Prof. Ing. Joseph Buhagiar, from the Department of Metallurgy and Materials Engineering, and also involves members from the [surgical team](#) at the Department of Orthopaedic, Trauma and Sports Medicine at Mater Dei Hospital under the coordination of Mr Ray Gatt M.D., as well as academics from various departments at the University of Malta. The [team members](#) are pooling their expertise to develop an improved bone regeneration scaffold design with optimised characteristics.

Despite the fact that ceramic scaffolds are widely used, their tendency to break due to their brittle nature, has made them inadequate for use in bones that are subjected to sudden loading, while polymeric scaffolds lack the mechanical strength to be used in load-bearing applications. Metals, on the other hand, have the potential to exhibit the perfect balance between strength and toughness. The BioSA scaffold is being designed such that it corrodes at a controlled rate within the body, to match the rate at which the bone is healing. This aspect could result in reducing the necessity of a second surgical intervention to remove the implant after bone has healed.

The BioSA team is focused on understanding the corrosion behaviour of such an implant while also studying the effect that such an implant has on cells found in the [bone](#). Through an innovative processing technique,

based on the use of metal powders, the team also aims to gain control over the shape of the final [scaffold](#). Accidents can happen to everyone and defects can be bigger than the body can heal naturally. So ideally scaffolds are not designed as one-size-fits-all but can also be custom-made for a specific patient.

Provided by University of Malta

Citation: BioSA: Bridging the gap with biodegradable metals (2019, July 1) retrieved 9 April 2024 from <https://medicalxpress.com/news/2019-07-biosa-bridging-gap-biodegradable-metals.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--