

REM sleep silences the siren of the brain

July 11 2019



This is a screenshot of a polysomnographic record (30 seconds) representing Rapid Eye Movement Sleep. EEG highlighted by red box. Eye movements highlighted by red line. Credit: MrSandman/ Wikipedia

Upset by something unpleasant? We have all been there. Fortunately, it also passes. A new day, a new beginning. At least: if you have restful REM sleep. Researchers at the Netherlands Institute for Neuroscience discovered why you will be better able to bear tomorrow what you are distressed about today. And why that can go wrong.



Siren of the brain

Something frightening or unpleasant does not go unnoticed. In our <u>brain</u>, the so-called limbic circuit of cells and connections immediately becomes active. First and foremost, such experiences activate the <u>amygdala</u>. This nucleus of brain cells located deep in the brain can be regarded as the siren of the brain: attention! In order for the brain to function properly, the siren must also be switched off again. For this, a restful REM sleep, the part of the sleep with the most vivid dreams, turns out to be essential.

Good sleepers

The researchers placed their participants in a MRI scanner in the evening and presented a specific odor while they made them feel upset. The brain scans showed how the amygdala became active. The participants then spent the night in the sleep lab, while the activity of their sleeping brain was measured with EEG, and the specific odor was presented again on occasion. The next morning, the researchers tried to upset their volunteers again, in exactly the same way as the night before. But now they did not succeed so well in doing this. Brain circuits had adapted overnight; the siren of the brain no longer went off. The amygdala responded much less, especially in those who had had a lot of restful REM sleep and where meanwhile exposed to the specific odor.

Restless sleepers

However, among the participants were also people with restless REM sleep. Things went surprisingly different for them. Brain circuits had not adapted well overnight: the siren of the brain continued to sound the next morning. And while the nocturnal exposure to the odor helped people with restful REM sleep adapt, the same exposure only made things worse



for people with restless REM sleep.

Neuronal connections weaken and strengthen

During sleep, 'memory traces' of experiences from the past day are spontaneously played back, like a movie. Among all remnants of the day, a specific memory trace can be activated by presenting the same <u>odor</u> as the one that was present during the experience while awake. Meanwhile, memory traces are adjusted during sleep: some connections between brain cells are strengthened, others are weakened. Restless REM sleep disturbs these nocturnal adjustments, which are essential for recovery and adaptation to distress.

Transdiagnostic importance

The findings were published on 11 July in the leading journal *Current Biology*. The finding can be of great importance for about two-thirds of all people with a <u>mental disorder</u>, as both restless REM sleep and a hyperactive amygdala are the hallmarks of post-<u>traumatic stress disorder</u> (PTSD), <u>anxiety disorders</u>, depression and insomnia. People with PTSD carry their traumatic experience to the next day: people with an anxiety disorder take their greatest fear with them, people with depression their despair, and people with chronic insomnia their tension. Authors Rick Wassing, Frans Schalkwijk and Eus van Someren predict that treatment of restless REM sleep could transdiagnostically help to process emotional memories overnight and give them a better place in the brain.

More information: Rick Wassing et al, Restless REM Sleep Impedes Overnight Amygdala Adaptation, *Current Biology* (2019). <u>DOI:</u> <u>10.1016/j.cub.2019.06.034</u>



Provided by Netherlands Institute for Neuroscience

Citation: REM sleep silences the siren of the brain (2019, July 11) retrieved 2 May 2024 from <u>https://medicalxpress.com/news/2019-07-rem-silences-siren-brain.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.