

Research shows smoking triples deaths from heart disease

July 3 2019



Credit: Lannon Harley/ANU

Smoking is killing at least 17 Australians a day from preventable heart attacks, strokes and other cardiovascular conditions, new research led by The Australian National University (ANU) has found.

The study, the most in-depth in the world, shows for the first time how smoking harms all of the cardiovascular system—the [heart](#) and major

blood vessels.

Lead researcher, Professor Emily Banks from the ANU National Centre for Epidemiology and Population Health, said the study examined the impact of smoking for every possible cardiovascular disease.

"That includes investigating the risk of heart attack, stroke, heart failure, heart muscle disease, rhythm problems, and gangrene in Australians from every walk of life: men, women, city, country, rich, poor," Professor Banks said.

"We found there is nowhere to run, nowhere to hide. Smoking causes terrible harm across the board.

"Our study shows that a population almost twice the size of Port Douglas is being wiped out in Australia each year with smoking causing more than 6,400 cardiovascular deaths, including from heart attack and stroke."

CEO of the Heart Foundation, Adjunct Professor, John Kelly said: "This new evidence is disturbing. It demonstrates that our battle to eliminate the devastation tobacco brings to people's lives is far from over.

"We urge the Government to maintain tobacco control as a high priority and look forward to seeing it feature strongly in the new Prevention Strategy recently announced by the Minister for Health."

The research team tracked around 190,000 Australian smokers and non-smokers participating in the Sax Institute 45 and Up Study for 36 different types of cardiovascular disease over seven years.

The study found smoking also causes 11,400 coronary heart hospitalisations a year —31 per day.

"There are around 2.7 million smokers in Australia today," said Professor Banks.

"Those smokers have around triple the risk of dying from cardiovascular disease compared to people who have never smoked, and double the risk of a heart attack, a stroke or heart failure. They are also five times more likely to develop peripheral cardiovascular diseases like gangrene.

"If a smoker has a heart attack or a stroke, it is more likely than not that it was caused by smoking."

Light smoking has a heavy toll

In what Professor Banks describes as "extremely alarming," the research also found a doubling in the risk of death from cardiovascular disease among those smoking an average of five cigarettes a day.

"A lot of people underestimate the risks of [light smoking](#)," said Professor Banks.

In good news, the research shows quitting smoking markedly reduces your risk of heart attacks, stroke and dying from cardiovascular disease compared with continuing to smoke.

"This study really reinforces how important it is to prioritise quitting," said Dr. Sarah White, Director of Quit Victoria.

"Quitting at any age provides a whole host of health and other benefits and quitting by age 45 avoids about 90 percent of the cardiovascular risks of [smoking](#).

"And if you are a light or social smoker who thinks 'just a few' won't hurt, this study really shows you're kidding yourself that it's not doing

damage.

"No matter how much you smoke or how long you have smoked, the best time to stop is right now. Call the Quitline, or talk to your GP or other health professional for advice."

The research is published in the international journal *BMC Medicine* and was undertaken in partnership with the Heart Foundation and Sax Institute.

Dr. Martin McNamara, Deputy CEO of the Sax Institute and Chief Investigator on the 45 and Up Study, said: "The 45 and Up Study is the biggest long-term health study in Australia, and one of the biggest in the world—and these results make clear how the study can help us uncover new findings with important implications for health care services."

More information: Emily Banks et al. Tobacco smoking and risk of 36 cardiovascular disease subtypes: fatal and non-fatal outcomes in a large prospective Australian study, *BMC Medicine* (2019). [DOI: 10.1186/s12916-019-1351-4](https://doi.org/10.1186/s12916-019-1351-4)

Provided by Australian National University

Citation: Research shows smoking triples deaths from heart disease (2019, July 3) retrieved 6 May 2024 from <https://medicalxpress.com/news/2019-07-triples-deaths-heart-disease.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--