


Cancer cells 'corrupt' their healthy neighbors

August 28 2019



Killer T cells surround a cancer cell. Credit: NIH

The healthy cells immediately surrounding a tumour become more stem cell-like and support cancer growth, reveals a new study published in *Nature*.

The discovery was made using a new state-of-the-art technique

developed by researchers in Ilaria Malanchi's lab at the Crick in order to study the tissue around a [tumour](#)—called the tumour microenvironment—known to influence the growth and spread of [cancer](#), as well as treatment response.

"Our new technique allows us to study changes to cells in the tumour microenvironment with unprecedented precision," says Ilaria, who joint-led the project. "This helps us to understand how these changes relate to tumour growth and metastasis, allowing us to develop better strategies to treat the disease.

"We discovered that non-[cancerous cells](#) in the tumour microenvironment regress back into a stem-cell like state, and actually support cancer growth. By corrupting its neighbours, cancer transforms its [local environment](#) to support its own survival."

This new technique relies on cancer cells engineered to release a cell-penetrating [fluorescent protein](#) that gets taken up by its neighbouring cells. These colour-labelled cells can be identified and compared to other (unlabelled) cells that have not come into contact with the tumour. Researchers in Ilaria's lab used this approach in mice to study the cells around breast cancer that had spread to the lungs. Data from Alessandro Ori's lab at the Fritz Lipmann Institute in Germany confirmed that the labelled cells produced different proteins to unlabelled cells.

The researchers found labelled cells from the [lung](#) to have stem cell-like features, unlike the lung cells found outside of the tumour microenvironment. The team showed that those cells from the mouse lungs supported tumour growth when mixed with tumour cells in 3-D culture in the lab, suggesting that they help the cancer to survive and grow.

In order to further test the potential of the stem-cell like cells in the

tumour microenvironment, Ilaria teamed up with Joo-Hyeon Lee at the Wellcome Trust/MRC Stem Cell Institute, who used them to grow lung organoids, or 'mini-lungs'.

The unlabelled healthy lung cells formed mini-lungs, mostly made up of alveolar epithelial cells which line the lung's alveoli—the tiny sacs where gas exchange takes place. By comparison, the labelled cells taken from the tumour microenvironment unexpectedly formed mini-lungs with a wider range of cell types.

"To our amazement, we found that cells receiving proteins from adjacent [cancer cells](#) obtained stem-cell-like features", explains Joo-Hyeon Lee, joint senior author of the paper. "They could change their fate to become different cell types. It demonstrates the powerful influence that cancer exerts over its neighbouring [cells](#), making them liable to change easily."

The researchers hope that their approach will be used by other scientists looking to gain a deeper understanding of the local changes triggered by cancer which help it to survive, spread and develop resistance to treatments.

The potential applications are not confined to cancer—a similar approach could enable scientists to study interactions between different cell types in the body.

More information: Metastatic-niche labelling reveals parenchymal cells with stem features , *Nature* (2019). [DOI: 10.1038/s41586-019-1487-6](#) , [nature.com/articles/s41586-019-1487-6](#)

Provided by The Francis Crick Institute

Citation: Cancer cells 'corrupt' their healthy neighbors (2019, August 28) retrieved 20 April 2024 from <https://medicalxpress.com/news/2019-08-cancer-cells-corrupt-healthy-neighbors.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.