

This new discovery could allow dentists to regenerate the roots of teeth

August 5 2019, by Katharine Gammon



Credit: CC0 Public Domain

To figure out how the body changes over time, researchers are increasingly looking to understand epigenetics, the study of changes in organisms caused by modification of gene expression rather than

alteration of the genetic code itself. This scientific endeavor extends to teeth as well.

Yang Chai, associate dean of research at the Herman Ostrow School of Dentistry of USC, reported in a recent article how he and colleagues discovered that epigenetic regulation can control tooth root patterning and development.

"This is an aspect that doesn't involve change in the DNA sequence, but it's basically through the control where you make the genes available or unavailable for transcription, which can determine the pattern," he explained.

A protein called Ezh2 helps the bones of the face to develop, but it was not known how it affects tooth root development, the authors wrote. So the team looked at what happens when Ezh2 is not present in the molar teeth of developing mice. They found that Ezh2 and another protein called Arid1a must be in balance to establish the tooth root pattern and the proper integration of roots with the jaw bones.

The goal: To someday regrow teeth, first regenerate the roots

Chai said the new work is motivating: "I feel excited about this because, through [human evolution](#), there have been changes in our diet and environment that can influence our epigenome—the ways our genes are regulated—and you can clearly see a difference between the root formation of our dentition versus Neanderthals."

Neanderthal molars have longer root trunks than the ones seen in anatomically modern humans and show late splitting of the roots, which could be due to the effect of diet and exercise on the proteins that turn

the genes on and off.

The balance of regulators also has a hand in disease and wellness. In different types of cancer, research has shown that the balance of two opposing epigenetic regulators is quite important. Knocking out one regulator can create cancer, Chai said, but modulating its opposing regulator can stop the cancer.

"These epigenetic regulators, which are not changing the DNA sequences, are important in themselves, but their level of their activity is also important," he said. "Basically, you can't have too much or too little—if the balance is off track, then you get developmental problems or disease."

The ultimate goal of Chai's research on the regulation of tooth development is to regrow teeth—but generating an entire tooth is very challenging because it takes a long time for nature to build a [tooth](#) from development to eruption, Chai explained. So he aims to find ways to regenerate a molar root, and put a crown on top.

"It would be the best of both worlds: a natural integration of the [root](#) with the jawbone with the [periodontal ligament](#) in place, and a reduction in the amount of time we need by using just a crown to restore function," he said.

More information: Junjun Jing et al. Antagonistic interaction between Ezh2 and Arid1a coordinates root patterning and development via Cdkn2a in mouse molars, *eLife* (2019). [DOI: 10.7554/eLife.46426](https://doi.org/10.7554/eLife.46426)

Provided by University of Southern California

Citation: This new discovery could allow dentists to regenerate the roots of teeth (2019, August 5) retrieved 10 May 2024 from <https://medicalxpress.com/news/2019-08-discovery-dentists-regenerate-roots-teeth.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.