

Infant mortality rates highest for non-hispanic blacks

August 1 2019



(HealthDay)—Mortality rates are much higher for infants of non-



Hispanic black women than for infants of other race/ethnic groups, according to the Aug. 1 *National Vital Statistics Reports*, a publication from the U.S. Centers for Disease Control and Prevention.

Danielle M. Ely, Ph.D., and Anne K. Driscoll, Ph.D., from the National Center for Health Statistics in Hyattsville, Maryland, present descriptive tabulations of data for <u>infant deaths</u> and infant <u>mortality rates</u> using the 2017 linked birth/infant death file.

The researchers found that in 2017, 22,341 infant deaths were reported in the United States, with an infant mortality rate of 5.79 infant deaths per 1,000 live births, which was not significantly different from the rate of 5.87 in 2016. For 2017, the neonatal and postneonatal mortality rates (3.85 and 1.94, respectively) were also essentially unchanged from 2016. The <u>infant mortality rate</u> was more than twofold higher for infants of non-Hispanic black women than for infants of non-Hispanic white, non-Hispanic Asian, and Hispanic women in 2017 (10.97 versus 4.67, 3.78, and 5.10, respectively). The highest mortality rate was seen for infants born very preterm (

Citation: Infant mortality rates highest for non-hispanic blacks (2019, August 1) retrieved 20 April 2024 from

https://medicalxpress.com/news/2019-08-infant-mortality-highest-non-hispanic-blacks.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.