


# Salvage therapy does not up survival for progressive myeloma

August 28 2019

---



(HealthDay)—For myeloma patients with progressive disease (PD) after

induction therapy, deepening of response through salvage therapy is not associated with improved progression-free or overall survival, according to a study published online Aug. 19 in *Leukemia & Lymphoma*.

Joanna Blocka, M.D., from the University Hospital of Heidelberg in Germany, and colleagues performed a [retrospective analysis](#) of 1,599 myeloma patients treated between 1991 and 2016 to examine whether patients with PD after induction should receive salvage therapy or proceed directly to autologous stem cell transplantation (ASCT).

The researchers found that progression-free and [overall survival](#) did not improve with deepening of [response](#) through salvage therapy (hazard ratios [HRs], 0.71 [95 percent confidence interval (CI), 0.28 to 1.80; P = 0.5] and 0.77 [95 percent CI, 0.30 to 1.95; P = 0.6], respectively), neither with treatment with novel agents (HRs, 0.66 [95 percent CI, 0.23 to 1.85; P = 0.4] and 0.76 [95 percent CI, 0.27 to 2.15; P = 0.6], respectively) nor with older regimens (HRs, 0.86 [95 percent CI, 0.36 to 2.07; P = 0.7] and 0.80 [95 percent CI, 0.34 to 1.91; P = 0.6], respectively).

"Considering this finding, the question arises, whether induction therapy is of any use at all," the authors write. "Although there is a general tendency to achieve a deep therapy response before ASCT, further analyses should be performed to answer this question."

Several authors disclosed financial ties to the [pharmaceutical industry](#).

**More information:** [Abstract/Full Text](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Salvage therapy does not up survival for progressive myeloma (2019, August 28)  
retrieved 29 June 2024 from <https://medicalxpress.com/news/2019-08-salvage-therapy-survival-myeloma.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.