

Elderly should consider residential care before a health crisis

September 6 2019



Credit: CC0 Public Domain

Very old people would feel more in control of their lives if they thought about a future move to assisted accommodation or residential care before health problems force them to—according to new research from

the University of East Anglia and the University of Cambridge.

Most older people want to continue living at home for as long as they can. But in many cases, a [health](#) crisis means they need to transition to a new home closer to their families or to long-term [residential care](#).

New research published today shows that older people are rarely involved in decisions about moving due to the urgency of their health crisis or cognitive decline.

The research team say that thinking about future moves earlier would help older people have more involvement in decision-making and could lead to better outcomes for all involved.

The research team studied interviews with a rare cohort of participants who were all aged over 95, most with some level of cognitive impairment, and their families.

Dr. Morag Farquhar, from UEA's School of Health Sciences, said: "A minority of older people choose to move to age friendly housing before the onset of disability—but the majority prefer to grow old in their own homes and put off moving until a health crisis forces them to.

"We know that in some cases the decision to move an elderly person is made by others who may override the older person's views and preferences—or even without their full consent.

"While family members usually prioritize safety and security, older people may well strive to maintain their own independence.

"We wanted to find out more about the decision making process when very [old people](#) move—either into a care home or to live with [family](#).

"The likelihood of moving involuntarily increases with age and those over 80 are in the high risk bracket. Moves at this time of life are often driven by incidents like serious injury from a fall, hospitalization or the death of a spouse who has been acting as a carer.

"We focused on a rarely studied group of 'older old' people—aged over 95 who had moved in later life—and their families."

The researchers worked with 42 surviving participants of the Cambridge City over-75s Cohort Study—a long-term study of older people that started in 1985 from a survey of more than 2,600 men and women aged over 75.

They identified 26 who had moved after turning 95 and interviewed 20 of them. Six were too frail to take part. The oldest interviewee was 101.

Most of those who had relocated had some level of cognitive impairment and so key carers, usually a close relative, also took part in the interview process.

Dr. Farquhar said: "What we found was that when people move at such an old age—they are usually not making the decision themselves because they lack capacity due to poor health or cognitive decline.

"Usually the decision is made by other [family members](#) or health and social care professionals—and relatives reported being traumatized by events leading up to the move.

"While some older people were philosophical about their move and considered it a part of the aging process, many thought a decision had been made for them, some felt resentment, and later regretted their move.

"Relatives need much more support to discuss moving and housing options at timely junctures before a health crisis—so that older people can participate in the decision making process."

Dr. Fiona Scheibl from the Primary Care Unit at the University of Cambridge said families could help to initiate discussions about moving using sources of information provided by Age UK and the Alheimers Society.

"When Frail Older People Relocate in Very Old Age, Who Makes the Decision?" is published in *Innovation in Aging* on Friday, September 6, 2019.

Provided by University of East Anglia

Citation: Elderly should consider residential care before a health crisis (2019, September 6) retrieved 23 April 2024 from <https://medicalxpress.com/news/2019-09-elderly-residential-health-crisis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.