

Motion perception of large objects gets worse during infant development

September 6 2019



A scene of the experiment. Infants are observed while watching illuminated images of grates moving left or right to determine if the infants could discriminate motion direction. Credit: Chuo University



Humans can visually perceive the motion of a small object better than that of a large one. By contrast, according to a study reported in the journal *Current Biology* on September 5, babies under six months of age are better at seeing the movement of large objects than small objects.

In adults, the motion of a bigger object is more difficult to see. This counterintuitive phenomenon is thought to reflect surround suppression, an inhibitory mechanism observed in visual cortical neurons that suppresses irrelevant visual information in the areas surrounding an object in focus.

"We found that infants under six months showed the opposite pattern to adults, that is, better perception of large than small objects' motion," says Yusuke Nakashima, JSPS research fellow at Chuo University in Tokyo. "Infants over six months, on the other hand, lose this ability, and become good at seeing small objects' motion. These results suggest that surround suppression is not present until the second half of the first year."

It is known that surround suppression is also weak in <u>older adults</u>, and as a result, they can see the motion of large objects better than younger adults.

"Younger <u>infants</u>' results, we found, are similar to the characteristics of older people's motion perception," says So Kanazawa, professor at Japan Women's University. "Both younger babies and older adults can see large objects' motion well due to weak surround suppression."

Why do we lose the ability to perceive large objects' motion during development? Surround suppression is thought to contribute to the visual function that separates moving objects from background motion. "Younger <u>babies</u> may fail to see an object's motion when surrounded by irrelevant motion," says Nakashima. "We may acquire a truly superior ability to see an object's motion by losing sensitivity for large-size



motion."

More information: Yusuke Nakashima et al. Development of Center-Surround Suppression in Infant Motion Processing, *Current Biology* (2019). DOI: 10.1016/j.cub.2019.07.044

Provided by Chuo University

Citation: Motion perception of large objects gets worse during infant development (2019, September 6) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2019-09-motion-perception-large-worse-infant.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.