

# Severe silicosis found among fabricators of engineered quartz stone

September 26 2019



**MMWR** | **Silicosis in Stone Fabrication Workers**

Silicosis	Workers are at risk	How to protect workers
<ul style="list-style-type: none"> <li>• <b>Incurable lung disease</b></li> <li>• Occurs after <b>breathing silica dust</b></li> </ul>	<p><b>18</b> cases in <b>4</b> states</p> <p><b>2</b> deaths</p> <p><b>Most worked with engineered stone</b></p>	<ul style="list-style-type: none"> <li>• <b>Control and monitor exposures</b></li> <li>• <b>Comply with standards</b></li> <li>• <b>Conduct medical screening</b></li> </ul>

Cases identified in CA, CO, WA, and TX through surveillance and case reports as published in Rose, Heinzerling, et al. *MMWR* 2019. [bit.ly/CDCVA31](https://bit.ly/CDCVA31)

WWW.CDC.GOV

CS 202376-AB

Credit: Centers for Disease Control and Prevention

Engineered stone, made of ground quartz and resin, has become a tremendously popular material for kitchen countertops due to its durability, low maintenance and customizable colors and patterns. Workers who form, shape, cut and polish the material, however, appear to be at significant risk of severe and potentially deadly lung disease. In this week's *Morbidity and Mortality Weekly Report*, researchers from

California, Colorado, Texas and Washington report 18 cases of severe silicosis, and two fatalities, among young, mostly Hispanic men, who worked at engineered stone fabrication plants.

"Engineered [stone](#) contains a much higher silica content than does natural stone, posing significant risk to those who handle and work with the material," said Cecile Rose, MD, MPH, professor of medicine at National Jewish Health and co-author of the study. "We believe there may be hundreds, if not thousands of cases of silicosis among workers in the engineered stone industry."

Silicosis is an incurable lung disease caused by inhaling particles of crystalline silica. The particles trigger inflammation and scarring in the lungs, leading to progressive, irreversible and potentially disabling and fatal disease. Silicosis patients are at higher risk for autoimmune diseases and lung infections, especially tuberculosis. Engineered stone has a very high silica content, greater than 90 percent, compared to less than 45 percent in granite.

After sensing a rise in silicosis cases among her patients, Dr. Rose reviewed patient files and discovered seven recent cases of silicosis among engineered stone workers in her Colorado practice alone. Public health officials in California, Washington and Texas identified 11 more cases through various surveillance programs. Two of the California cases were fatalities discovered in follow-up investigations of one fabrication plant. Several of the patients with silicosis also had autoimmune diseases, such as rheumatoid arthritis and scleroderma. Two had latent tuberculosis infection.

In 2018, the stone fabrication industry employed an estimated 96,000 employees in 8,700 mostly small fabrication plants in the United States. In Australia, screening of workers in the stone fabrication industry found about 12 percent of the workers had developed silicosis. Comparable

rates of silicosis in the U.S. would mean that 11,500 workers in the industry could have silicosis. Small stone fabrication companies face challenges protecting workers due to limited awareness and cost of exposure control technologies.

"We urgently need to identify stone fabrication workers at risk and reduce their exposure to silica dust," said Amy Heinzerling, MD, MPH, co-author of the MMWR report and Epidemic Intelligence Service Officer, Centers for Disease Control and Prevention/California Department of Public Health. "Employers, public health authorities and [health care providers](#) must all work together to address this emerging silicosis threat in the stone [fabrication](#) industry."

Provided by National Jewish Health

Citation: Severe silicosis found among fabricators of engineered quartz stone (2019, September 26) retrieved 2 May 2024 from <https://medicalxpress.com/news/2019-09-severe-silicosis-fabricators-quartz-stone.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--