

# Suicide risk factors vary by ethnic group

September 17 2019, by Laurie Fickman

---



Risk factors for suicide are not universal among ethnic groups, a new report reveals. Credit: University of Houston

Approximately 8.3 million adults in the United States reported thinking about suicide last year, according to the Centers for Disease Control and

Prevention. While thoughts and deeds are clearly different, University of Houston professor of psychology Rheeda Walker has examined both and finds that current approaches to suicide prevention are troubling, because they usually consist of a "one-size-fits- all approach."

"It's important to realize that in the United States twice as many people die by [suicide](#) as by homicide, and as we talk more about suicide I want us to resist assuming that suicide risk is the same for everybody," said Walker, who reported her findings on sociodemographic and mental health predictors of suicide thoughts and attempts in the *Journal of Nervous and Mental Disease*

Walker and colleagues analyzed data collected for 336,482 adults who participated in the 2008-to-2013 National Survey on Drug Use and Health, dividing the list along ethnic lines to include whites, blacks, Latinos, Asian or Pacific Islanders (A/PI), American Indian or Alaska Native (AI/AN) and those who identify as multiracial.

Among the highlights from Walker's findings:

- 12-month depression was associated with suicide attempts in that time period for A/PI, AI/AN, Latinos, and whites, but not for black or multiracial adults
- Alcohol abuse and dependence were associated with [suicide attempt](#) for AI/AN, black, and white respondents, but not for other racial/[ethnic groups](#)
- Marijuana usage showed up as a factor in suicide attempts in both white and multiracial adult groups, but not for other groups
- Low income A/PIs were three times more likely to attempt suicide compared to A/PIs who reported more income



Professor of psychology Rheeda Walker says the current approaches to suicide prevention are troubling, because they usually consist of a “one-size-fits- all approach.” Credit: University of Houston

"Risk factors are not universal among ethnic groups," said Walker, who admits it is very common for mental health professionals to point to depression as the immediate reason for a death by suicide. "Depression was not a meaningful predictor of suicide attempts or thoughts for all of the groups." Walker's previous work identified protective factors among black adults as the reason depression may not rise as a precursor.

"Consistently across studies we see that African Americans are very

religious compared to other groups and that may buffer the impact of depression in those groups," said Walker.

Walker also reports that the predictors for suicide attempts and suicide ideation, or thinking of the act, are different.

"Overall, only psychological distress was consistently associated with suicide ideation and attempts. Other predictors were associated with suicide ideation or attempts and for some racial or ethnic groups, but not others," said Walker.

Her research provides a window into new [suicide risk](#) profiles needed for a rapidly changing America, she said. The U.S. Census Bureau projections reflect a racial and ethnic composition that is rapidly changing. These projections suggest that the majority of the American population will be composed of "minority" individuals by 2044.

"When we ask people if they've thought about suicide in the past, but we don't note their race, or overemphasize depression and underplay their marijuana use, for example, we miss important opportunities to generate a risk profile that can lead to better prediction."

**More information:** Soumia Cheref et al. Refining Psychological, Substance Use, and Sociodemographic Predictors of Suicide Ideation and Attempts in a National Multiethnic Sample of Adults, 2008–2013, *The Journal of Nervous and Mental Disease* (2019). [DOI: 10.1097/NMD.0000000000001026](https://doi.org/10.1097/NMD.0000000000001026)

Provided by University of Houston

Citation: Suicide risk factors vary by ethnic group (2019, September 17) retrieved 2 May 2024

from <https://medicalxpress.com/news/2019-09-suicide-factors-vary-ethnic-group.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.