

Ultrasound sensor aids diagnosis of middle-ear infection

September 2 2019, by Aron Guttowski



Thanks to sensor technology developed by Fraunhofer IPMS, a new device from OtoNexus Medical Technologies will radically enhance the diagnosis of middle ear infections. Credit: Fraunhofer IPMS

A new type of ultrasound transducer from Fraunhofer should soon be


delivering a fast and reliable diagnosis of infection of the middle ear. A U.S. company and the Fraunhofer Institute for Photonic Microsystems IPMS are collaborating on the development and application of this technology. The transducer is integrated in an otoscope and helps physicians decide whether a course of antibiotics is really necessary.

In cases of infection of the middle ear, particularly among infants and young children, antibiotics are often the remedy of choice. Yet the equipment used to diagnose this condition has stood still for a number of decades. As a result, doctors can only deliver a diagnosis that is subjective and unreliable. On average, diagnostic accuracy for this condition is as low as 50 percent, not least when it comes to distinguishing between a bacterial and viral infection. This means that lots of children are prescribed antibiotics unnecessarily. This, in turn, is feeding a growing resistance to antibiotics worldwide. However, a new type of [ultrasound](#) transducer developed at the Fraunhofer Institute for Photonic Microsystems IPMS can resolve this dilemma. It employs air-coupled ultrasound to enable a precise diagnosis of infection of the middle ear, a condition also known as otitis media. The U.S. company OtoNexus Medical Technologies has developed an otoscope incorporating this technology. Their device is now undergoing clinical studies. Pediatricians and other doctors will be able to use it to examine the external auditory canal and, more particularly, the area behind the ear drum. In a matter of seconds, they will be able to tell whether there is air or fluid in the middle ear, and to characterize this fluid. This will permit them to distinguish between different stages of the illness and thereby determine the appropriate treatment.

Echo signal reveals the degree of infection

"The classic otoscope is an optical system and hasn't changed in decades," explains Dr. Sandro Koch, a physicist at Fraunhofer IPMS in Dresden. "But when fitted with our ultrasound transducer, which is both

a transmitter and receiver, it develops new functions." The transducer emits ultrasonic pulses and captures the echo reflected from the eardrum. On the basis of this data, the device generates a reading that tells the doctor about the degree of infection.



At the heart of the revolutionary otoscope from U.S. company OtoNexus Medical Technologies is a unique CMUT chip from Fraunhofer IPMS based on ultrasound technology. Credit: Fraunhofer IPMS

The innovative transducer is designed to operate via the medium of air. It features a capacitor formed by two electrodes separated by a small air-

filled gap. "One of these electrodes is flexible," Koch explains. "We use the vibrations of this electrode to transmit ultrasonic pulses. When the echo from this signal strikes a flexible membrane, the resultant vibration is converted into a detectable electrical signal." Proprietary software developed by industry partner OtoNexus analyzes the echo signal. Initial clinical studies have corroborated the accuracy of the analysis. In other words, the reading provides physicians with a reliable indication for middle-ear [infection](#).

Miniaturized and suitable for mass production

The [ultrasound transducer](#) is a CMUT (capacitive micromachined [ultrasonic transducer](#)). It is produced on a silicon wafer by means of special microelectromechanical systems (MEMS) technology developed at Fraunhofer IPMS. The transducer has a [low power consumption](#) and can be mass-produced cheaply. "And, unlike traditional ceramic piezoelectric ultrasound transducers, our MEMS transducer can be miniaturized," says Koch. "That's a major advantage here, because it means the CMUT can be incorporated much more easily in an otoscope."

The new otoscope featuring a Fraunhofer CMUT is currently at the prototype stage with market launch anticipated within a few years.

Uses of the MEMS [transducer](#) are not restricted to medical applications. For instance, ultrasound transducers can also be incorporated in smartphones and tablets to enable gesture control or installed in vehicles to control onboard infotainment systems. They can also deliver various functions in robotics, including distance measurement.

Provided by Fraunhofer-Gesellschaft

Citation: Ultrasound sensor aids diagnosis of middle-ear infection (2019, September 2) retrieved 13 March 2024 from

<https://medicalxpress.com/news/2019-09-ultrasound-sensor-aids-diagnosis-middle-ear.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.