

Brain hemorrhage surgery boosts survival, but disability risk still high

October 10 2019, by Bill Hathaway



Credit: stock.adobe.com

Doctors routinely recommend surgery for patients who suffer brain hemorrhages near the brain stem in an area called the cerebellum. However, an international meta-analysis shows that while patients who undergo surgery for intracerebral hemorrhage (ICH) survive at higher rates than those who do not receive surgery, they are also at high risk of



significant disability, according to a new Yale-led study published in the journal *JAMA*.

An estimated 35,000 people annually in Europe and the United States suffer from ICH, which is marked by bleeding at the rear of the brain near the brain stem. Surgery to remove or decompress the blood is standard practice, particularly when the area of hemorrhage is large. Few studies have been done about the effectiveness of surgery compared to a more conservative approach with medical management. An international collaborative analysis of individual patients revealed that those who have undergone surgery, compared to those who have not, have a statistically significant greater chance of surviving after three, six, and 12 months; however, there was no reduction in the degree of disability among the surgery patients.

The study went on to suggest that specific factors may influence which patients can best benefit from <u>surgery</u> and that new approaches are required for this otherwise devastating condition.

"Innovative and personalized approaches are urgently needed to help doctors and patients' families make these <u>difficult decisions</u>," said cosenior author Dr. Kevin Sheth, professor of neurology and neurosurgery.

More information: Joji B. Kuramatsu et al. Association of Surgical Hematoma Evacuation vs Conservative Treatment With Functional Outcome in Patients With Cerebellar Intracerebral Hemorrhage, *JAMA* (2019). DOI: 10.1001/jama.2019.13014

Provided by Yale University

Citation: Brain hemorrhage surgery boosts survival, but disability risk still high (2019, October



10) retrieved 7 May 2024 from https://medicalxpress.com/news/2019-10-brain-hemorrhage-surgery-boosts-survival.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.