

## Can't stop putting your hand in the candy dish? Scientists may have found why

October 29 2019



Credit: CC0 Public Domain

A national team of scientists has identified a circuit in the brain that appears to be associated with psychiatric disorders ranging from overeating to gambling, drug abuse and even Parkinson's disease.



"We discovered the <u>brain connections</u> that keep impulsivity in check," said Scott Kanoski, a neuroscientist and associate professor at USC Dornsife College of Letters, Arts and Sciences. "The key to this system is a neuropeptide that we've been focusing on, melanin-concentrating hormone, in studies on appetite and eating."

The study was published Tuesday in the journal Nature Communications.

Melanin-concentrating hormone (MCH) is signaled by <u>brain cells</u> in a portion of the hypothalamus, a cone-shaped area of the <u>brain</u> that sits above the pituitary gland. Research has indicated MCH is linked with appetite for food or drugs, but until now scientists hadn't fully understood how it affects impulse control.

## Can't wait for donuts

The scientists conducted a series of studies on <u>rats</u> that demonstrated that impulsivity is a separate function from hunger and food motivation.

In one task, a rat could press a lever and receive a treat that Kanoski likened to a "little donut hole" that was high in fats and carbohydrates. The release was timed, however, which meant the rat would have to wait 20 seconds to successfully press the lever and receive another one. The rat would become eager and and would sometimes hit the lever before the time had passed, forcing the clock to reset and having to wait again for the next opportunity for a treat.

In another task, rats had a choice between two levers. One lever would release an immediate single treat. The other would release a batch of five treats—but every 30-45 seconds.

The rats would press the lever for the single treat more frequently than the other lever, even though it would have delivered far more food.



"They don't just sit there and wait," Kanoski said. "They worked harder to achieve the same, or even fewer, number of pellets."

## The struggle with impulsivity

The scientists tested lowering and raising the levels of MCH in the rats' brains through various methods.

"We would drive the system up, and then we would see the animals be more impulsive," Kanoski said. "And if we reduced function we thought they would be less impulsive, but instead we found that they were more so. Either way, they had elevated impulsivity."

Based on anatomical brain scans, the scientists were able to identify a neural pathway for impulse control. Neurons in the lateral hypothalamus signal MCH to other neurons in the ventral hippocampus, an area of the brain associated with emotions, memory and inhibitory control.

Kanoski said the next step is for scientists to map the link between the circuit for impulse control and the brain's rewards system. Such work could eventually lead to the development of better-targeted treatments for <u>psychiatric disorders</u> in which <u>impulsivity</u> is a core issue.

**More information:** Emily E. Noble et al. Hypothalamus-hippocampus circuitry regulates impulsivity via melanin-concentrating hormone. *Nature Communications* volume 10, Article number: 4923 (2019) DOI: 10.1038/s41467-019-12895-y

Provided by University of Southern California



Citation: Can't stop putting your hand in the candy dish? Scientists may have found why (2019, October 29) retrieved 30 April 2024 from <u>https://medicalxpress.com/news/2019-10-candy-dish-scientists.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.