

Factors tied to pregnancy rates in women on dialysis explored

October 30 2019



(HealthDay)—Due to impaired fertility, pregnancy is not common in

women on dialysis, but the pregnancy rate is higher than previously thought, and several factors are associated with the likelihood of pregnancy, according to a study published online Oct. 8 in the *Journal of the American Society of Nephrology*.

Silvi Shah, M.D., from the University of Cincinnati, and colleagues retrospectively analyzed data from the U.S. Renal Data System (with Medicare as primary payer) to calculate [pregnancy rates](#) among women on dialysis and identify factors associated with pregnancy.

The researchers found that among the 47,555 women on dialysis, 2,352 pregnancies were identified. Overall, the pregnancy rate was 17.8 per thousand person years, with the [highest rate](#) in women aged 20 to 24 years (40.9 per 1,000 person years). A higher likelihood of pregnancy was seen among Native American (hazard ratio [HR], 1.77), Hispanic (HR, 1.51), and black (HR, 1.33) women compared with white women. Compared with end-stage kidney disease (ESKD) due to diabetes, a higher rate of pregnancy was seen in women with ESKD due to malignancy (HR, 1.64), glomerulonephritis (HR, 1.38), hypertension (HR, 1.32), and secondary glomerulonephritis/vasculitis (HR, 1.18). Likelihood of pregnancy was lower among women on peritoneal dialysis than those on hemodialysis (HR, 0.47).

"The pregnancy rate is higher in women on dialysis than previous reports indicate. A higher likelihood of pregnancy was associated with race/ethnicity, ESKD cause, and hemodialysis modality," the authors write. "This study improves our understanding of [pregnancy](#) in [women](#) on dialysis, and can lead to better counseling and shared decision making."

More information: [Abstract/Full Text \(subscription or payment may be required\)](#)

Copyright © 2019 [HealthDay](#). All rights reserved.

Citation: Factors tied to pregnancy rates in women on dialysis explored (2019, October 30)
retrieved 3 May 2024 from

<https://medicalxpress.com/news/2019-10-factors-tied-pregnancy-women-dialysis.html>

| |
|--|
| <p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p> |
|--|