


US firearm death rate rose sharply in recent years across most states and demographic groups

October 7 2019



The study data were used to create a map of firearm mortality rate trends on a state-by-state level, from 1999 to 2017. Credit: *Health Affairs*/University of Michigan



The rate at which Americans died from firearm injuries increased sharply starting in 2015, a new study shows. The change occurred to varying degrees across different states, types of firearm death such as homicide and suicide, and demographics.

In all, the United States saw a 14% rise in the rate of firearm deaths from 2015 through 2017, compared with the rate seen in the years 1999 through 2014.

During the entire 19-year period, 612,310 Americans died from <u>firearm</u> <u>injuries</u> that were self-inflicted, caused by others, accidental or of undetermined cause. Nearly one-fifth of the deaths happened in just the last three years of that time.

The study, published in the October issue of *Health Affairs* by a team led by University of Michigan researchers, used data from the federal Centers for Disease Control and Prevention.


Jason Goldstick, Ph.D., a research assistant professor of emergency medicine at the U-M Medical School, led the analysis. "What we can see is a worsening epidemic of firearm mortality that is geographically and demographically broad," he says. "But our analysis of subpopulations also reveals clues to how to focus efforts to reverse the overall trend."

Geographic differences

The research reveals differences across states in the change in firearm mortality rates over time. From 1999 to 2017, a majority of states had firearm trends that increased by more than 20%, but a few states had declines.



For instance, New York, California and the District of Columbia bucked the national trend and saw decreases in their firearm <u>death</u> rates across most categories of people in 2015 through 2017. Those three areas, plus Arizona and Nevada, also saw an overall decrease in firearm deaths from 1999 to 2017.



The overall firearm mortality rate in the U.S. was relatively stable for 15 years and then rose sharply beginning in 2015. During the entire 19-year period, 612,310 Americans died from firearm injuries that were self-inflicted, caused by others, accidental or of undetermined cause. Nearly one-fifth of the deaths happened in just the last three years of that time. Credit: Health Affairs/University of Michigan

Demographic differences

Across the country, nearly all demographic groups saw increases in



firearm death rates, but the level of increase varied across groups. For example, males had larger absolute increases than females.

Hispanic whites were the only racial or ethnic group that saw reductions in mortality in recent years, while firearm mortality rates among both non-Hispanic whites and African-Americans increased significantly. There were broad increases across age groups.

Type of firearm death differences

Throughout the study period, suicides and homicides remained consistent in their share of all firearm-related deaths. Specifically, suicide accounted for about 60% of deaths, and homicides about 38%, in both 1999 to 2014, and 2015 to 2017. Rates of firearm deaths categorized as unintentional dropped in recent years, but these made up less than 1% of all firearm deaths.

Trends and implications for states

The researchers also point out state-specific trends in the demographics and causes of firearm deaths. Now that the data in the paper and its detailed state-by-state appendices are available, the authors point out that policymakers could identify which sub-populations are most affected by firearm deaths in their states. They could then seek to determine which approaches may be most appropriate based on evidence about the effects of different policy-based interventions on different subgroups.

For example, while many states saw their suicide and homicide rates change at about the same pace, some did not. Delaware's overall firearm mortality rate rise was mainly due to a rise in homicides in recent years, for instance, but this was not the case for most other states.



"In our home state of Michigan, homicide has remained at an unacceptably high, but steady, rate over the period from 1999 through 2017, and we've seen an increase in suicide rates in that same time," says senior author Rebecca Cunningham, M.D., a professor of emergency medicine and interim vice president for research at U-M. "Also in Michigan, firearm mortality has remained concerningly high among all groups, but we now see increased rates among non-Hispanic whites, and older adults."

Because different prevention strategies address different mechanisms and sub-populations, these trends have implications for prevention. "For instance, suicide remains the most common mechanism of firearm mortality in most states and prevention efforts could be concentrated into the highest-risk groups for suicide, such as older males and rural adults," says Goldstick.

To address domestic violence-related homicides among women, states might want to heed research showing that restricting <u>firearm</u> access among domestic violence offenders and people convicted of violent crime can reduce domestic violence homicide. To address suicides and unintentional deaths by firearms among young people, states might look to research showing that reducing access to firearms by children can affect rates of both types of death.

More information: *Health Affairs* (2019). www.healthaffairs.org/doi/abs/ ... 7/hlthaff.2019.00258

Provided by University of Michigan

Citation: US firearm death rate rose sharply in recent years across most states and demographic groups (2019, October 7) retrieved 12 May 2024 from



https://medicalxpress.com/news/2019-10-firearm-death-rose-sharply-years.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.