

# J&J recalls baby powder after trace asbestos found in bottle

October 18 2019, by The Associated Press

---



In this July 30, 2013, file photo, people walk along a corridor at the headquarters of Johnson & Johnson in New Brunswick, N.J. Johnson & Johnson is recalling one lot of its baby powder as a precaution after government testing found trace amounts of asbestos in one bottle bought online. The recall, Friday, Oct. 18, 2019, comes as J&J fights thousands of lawsuits in which plaintiffs claim its iconic baby powder was contaminated with asbestos and that it caused ovarian cancer or another rare cancer. (AP Photo/Mel Evans, File)

Johnson & Johnson is recalling a single lot of its baby powder as a precaution after government testing found trace amounts of asbestos in one bottle bought online.

The recall comes as J&J fights thousands of lawsuits in which plaintiffs claim its iconic baby powder was contaminated with asbestos and that it caused [ovarian cancer](#) or another rare cancer. At multiple [trials](#), J&J experts have testified asbestos hasn't been detected in the talc in its [baby powder](#) in many tests over 40 years.

On Friday, J&J said the U.S. Food and Drug Administration found minuscule amounts of asbestos in one bottle. The company is investigating whether the bottle is counterfeit and how the contamination occurred.

The recalled lot contained 33,000 bottles.

J&J shares dropped 4% to \$130.86.

© 2019 The Associated Press. All rights reserved.

Citation: J&J recalls baby powder after trace asbestos found in bottle (2019, October 18)  
retrieved 4 May 2024 from  
<https://medicalxpress.com/news/2019-10-jj-recalls-baby-powder-asbestos.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--