

# Study links sleep disturbances and Alzheimer's among Hispanics

October 9 2019

---



Neurologist and sleep expert with the University of Miami Miller School of Medicine. Credit: Miller School of Medicine

(Miami, FL) Sleep disturbances among Hispanics may increase their risk of cognitive impairment and Alzheimer's disease, according to a new study led by a University of Miami Miller School neurologist and sleep expert.

"Insomnia, and prolonged sleep duration appear to be linked to a decline in neurocognitive functioning that can precede the onset of Alzheimer's disease or other dementias," said Alberto R. Ramos, M.D.MSPH, Associate professor of neurology. "This finding is particularly important because Hispanics have a significantly higher risk of Alzheimer's disease compared with non-Hispanic whites."

Dr. Ramos was the lead author of the collaborative study, "Sleep and Neurocognitive Decline in the Hispanic Community Health Study / Study of Latinos" published on October 9 in *Alzheimer's & Dementia: The Journal of the Alzheimer's Association*. The multi-center research team analyzed participants in the nationwide Hispanic Community Health Study/Study of Latinos, which includes approximately 16,000 Latinos from [diverse backgrounds](#) at four major urban centers located in Chicago, Miami, San Diego and the Bronx in New York City.

"We followed 5,247 participants between 45 and 75 years old, giving them a neurocognitive test at the start and repeating the test seven years later," said Dr. Ramos.

"We observed that prolonged periods of sleep and chronic insomnia symptoms led to declines in memory, executive function and processing speed. Those measures can precede the development of mild cognitive impairment and Alzheimer's disease."

Funded by the National Institutes of Health (NIH), the groundbreaking epidemiological study also included measures of sleep apnea, which has been linked to impaired cognition. "No previous studies used data from a

representative sample of U.S. Hispanic/Latinos for these multiple types of sleep disturbances," said Dr. Ramos.

Dr. Ramos said the findings provide a foundation for building awareness among physicians that [sleep disturbances](#) may be linked to neurocognitive decline, particularly in Hispanic patients. "We may also be able to identify at-risk patients who may benefit from early intervention to prevent or reduce the risk of dementia," he said.

Future research may involve quantifying the potential synergistic effect of sleep disorders with cerebrovascular [disease](#) as a pathway to neurocognitive decline. Dr. Ramos added, "We may also want to look at individual's circadian rhythms or internal clocks, as well as genetic studies that can clarify the relationships of sleep disorders with neurocognitive decline."

Provided by University of Miami Leonard M. Miller School of Medicine

Citation: Study links sleep disturbances and Alzheimer's among Hispanics (2019, October 9) retrieved 25 April 2024 from <https://medicalxpress.com/news/2019-10-links-disturbances-alzheimer-hispanics.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------