


How much do obesity and addictions overlap?

October 28 2019



Credit: CC0 Public Domain

A large analysis of personality studies has found that people with obesity behave somewhat like people with addictions to alcohol or drugs. But obesity is also a complex condition that cannot be fully explained by the

addiction model.

Obesity rates have tripled since 1975, according to the World Health Organization. This is likely caused by increased availability of inexpensive, high-calorie food. While the loss of control some people experience due to food leads some researchers to blame [obesity](#) on food [addiction](#), others point out that food is a basic need and does not have addictive molecules, like nicotine or caffeine.

This debate inspired a research team led by Dr. Alain Dagher at The Neuro (Montreal Neurological Institute-Hospital) to look for ways to measure the behavioural similarities and differences that obesity has with addictive behaviours, as well as [psychiatric disorders](#).

Uku Vainik, a former postdoctoral fellow in the lab of Dr. Dagher, now with The University of Estonia, Tartu, and first author of this study, turned to existing studies linking obesity and addiction to personality traits. The most common personality test, the NEO Personality Inventory measures 30 facets of how people typically think, feel, and behave. Example facets are Assertiveness, Altruism and Impulsiveness. These in turn give participants a score of the "Big 5" [personality traits](#): Agreeableness, Extraversion, Neuroticism, Conscientiousness, and Openness. Linking personality test scores with body weight or addictive behaviours provided researchers unique personality profiles of obesity and addictive behaviours.

The researchers started comparing these personality profiles, aggregating data from 18,611 participants. They found that all addictions had very similar personality profiles, suggesting great behavioural overlap. Addictions were also behaviourally similar to uncontrolled eating. While obesity was also behaviourally linked to addictions, that link was considerably weaker. The scientists were surprised to find that obesity also shared behavioural overlap with [mood disorders](#) and certain

[personality](#) disorders.

"Our research suggests that obesity treatments may benefit from borrowing methods from addiction treatments to improve people's self-control capabilities", said Dr. Dagher. "However, obesity treatments should not focus on how people with addictions handle sensation-seeking, as this is not as much of an issue for people with obesity. Current results suggest that we should take whatever is useful from the limited similarities that obesity and addictions share, and then look elsewhere to fully comprehend the behavioural profile of obesity."

This study was published in the journal *Nature Human Behaviour* on Oct. 28, 2019.

More information: Obesity has limited behavioural overlap with addiction and psychiatric phenotypes, *Nature Human Behaviour* (2019).
[DOI: 10.1038/s41562-019-0752-x](https://doi.org/10.1038/s41562-019-0752-x) ,
[nature.com/articles/s41562-019-0752-x](https://www.nature.com/articles/s41562-019-0752-x)

Provided by McGill University

Citation: How much do obesity and addictions overlap? (2019, October 28) retrieved 24 April 2024 from <https://medicalxpress.com/news/2019-10-obesity-addictions-overlap.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--