

Too many older adults readmitted to hospitals with same infections they took home

October 23 2019



Credit: CC0 Public Domain

About 15% of hospitalized older adults will be readmitted within a month of discharge.

However, a new University of Michigan study found that a disproportionately high number return for preexisting, or linked infections—infections presumably treated during the first hospital stay. Further, patients discharged home or to [home care](#) were more likely to return with a linked [infection](#) than those discharged to skilled nursing homes.

"We found that as many as 5% of patients leaving the hospital with an infection have a readmission for that preexisting infection—that's bad," said study lead author Geoffrey Hoffman, assistant professor in the U-M School of Nursing.

Hoffman and Lona Mody, professor of internal medicine and epidemiology, and colleagues examined Medicare records for more than 318,000 [hospital discharges](#) for patients 65 and older. They found that, overall, 2.5% of hospitalized [older adults](#) return because of linked infections.

The most common infection was *Clostridioides difficile* (roughly 5% readmission), a potentially deadly germ that causes diarrhea and colitis, followed by [urinary tract infections](#) (2.4% readmission).

Hoffman said the overall 2.5% readmission rate looks small, but context is important. First, it's critical to remember that hospitals know how to treat these infections, and knew the patient had the infection upon discharge.

"Presumably they've been treated for the infection since the hospital has already billed Medicare," Hoffman said. "Readmissions shouldn't be zero, but they should be much closer to zero."

Also, the population of patients with the same diagnosis at readmission and discharge is very narrow, Hoffman said, so the number will by

default be much smaller than overall hospital readmissions or readmissions for complex conditions.

For instance, heart failure and [chronic obstructive pulmonary disease](#), or COPD, have about 10% and 8% linked readmission rates, respectively. However, unlike infections, those complex conditions aren't entirely curable, so complications are more frequent, Hoffman said.

Surprisingly, patients discharged home or to home care were 38% more likely to return with a linked infection than those discharged to skilled nursing facilities, Hoffman said.

"I was very surprised," he said. "This is somewhat conflated with the conventional wisdom, which is that skilled nursing facilities are warehouses for infection transmission.

"The fact that patients discharged to skilled nursing had lower readmission rates for *Clostridioides difficile* infections than people discharged home is pretty amazing, given that those patients by definition are sicker and would more likely to be readmitted than those discharged home."

This suggests that while it's true that infections spread at high rates in skilled nursing homes, these facilities are also adept at treating them. Fifty percent of the patients were discharged to skilled nursing, 26% to home health care and 24% to home.

"There are probably some gaps in self-care for patients going home with an infection from the [hospital](#)," he said. "This suggests home health care agencies aren't up to snuff with infection control and patients going [home](#) without [home health care](#) probably need better training, as do their caregivers."

So, how can patients and family members protect against [readmission](#)? Be their own best advocate, Hoffman said. Ask questions until discharge instructions are clear.

The study appears online today in the *Journal of The American Geriatrics Society*. The research was funded by the Agency for Healthcare Research and Quality, U-M Older Americans Independence Center Research Education Core and the U-M Pepper Center pilot.

More information: The Role of Post-Acute Care in Readmissions for Preexisting Healthcare-Associated Infections, *Journal of The American Geriatrics Society* (2019). onlinelibrary.wiley.com/doi/10.1111/jgs.16208

Provided by University of Michigan

Citation: Too many older adults readmitted to hospitals with same infections they took home (2019, October 23) retrieved 26 April 2024 from <https://medicalxpress.com/news/2019-10-older-adults-readmitted-hospitals-infections.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.