

Patients with mood, anxiety disorders share abnormalities in brain's control circuit

October 30 2019



Dr. Sophia Frangou Credit: Paul Joseph/University of British Columbia

New research published today in *JAMA Psychiatry* shows for the first time that patients with mood and anxiety disorders share the same abnormalities in regions of the brain involved in emotional and cognitive

control.

The findings hold promise for the development of new treatments targeting these regions of the brain in patients with [major depressive disorder](#), [bipolar disorder](#), posttraumatic stress disorder, and [anxiety disorders](#).

"These brain imaging findings provide a science-based explanation as to why patients with mood and anxiety disorders seem to be 'locked in' to negative mood states," said Dr. Sophia Frangou, the study's senior author and a psychiatry professor at UBC. "They also corroborate the patients' experience of being unable to stop and switch away from negative thoughts and feelings."

Mood and anxiety disorders account for nearly 65 per cent of psychosocial disability worldwide and represent a major public health challenge. In Canada, one in three—or approximately 9.1 million people—will be affected by [mental illness](#) during their lifetime, according to Statistics Canada. The defining symptoms of these disorders are persistent or recurring negative feelings, mainly depression and anxiety.

Frangou, who recently joined UBC as the President's Excellence Chair in Brain Health at UBC's Djavad Mowafaghian Centre for Brain Health, started this research as head of the research team at the Icahn School of Medicine at Mount Sinai, New York.

For the study, Frangou and her research team analyzed more than 9,000 brain scans from previous published studies that compared the brain activity of healthy adults to those diagnosed with a mood or anxiety disorder, ranging from major depression to post-traumatic stress disorder.

They found that patients exhibited abnormally low activity in the inferior prefrontal and [parietal cortex](#), the insula and the putamen—regions that are key parts of the brain circuit for emotional and cognitive control and are responsible for stopping ongoing mental activities and switching to new ones. They also discovered hyperactivity in the anterior cingulate cortex, the left amygdala and the thalamus, which work together to process emotional thoughts and feelings.

Following her move to UBC, Frangou plans to pursue further research to leverage these findings toward more targeted interventions, such as non-invasive stimulation of specific regions of the brain, that could improve outcomes for those living with mood and anxiety disorders.

The study is believed to be the largest analysis of [brain](#) scans of patients with mood and [anxiety disorders](#) to date. It was funded by the National Institute of Mental Health in the U.S., German research funding organization Deutsche Forschungsgemeinschaft, and the European Union's Horizon 2020 Research and Innovation Programme.

More information: Delfina Janiri et al, Shared Neural Phenotypes for Mood and Anxiety Disorders, *JAMA Psychiatry* (2019). [DOI: 10.1001/jamapsychiatry.2019.3351](#)

Provided by University of British Columbia

Citation: Patients with mood, anxiety disorders share abnormalities in brain's control circuit (2019, October 30) retrieved 2 May 2024 from <https://medicalxpress.com/news/2019-10-patients-mood-anxiety-disorders-abnormalities.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
