


## Study results may provide a better understanding of Alzheimer's disease

October 31 2019

---



PET scan of a human brain with Alzheimer's disease. Credit: public domain

New research suggests that the complex meshwork of proteins and potentially other biomolecules that provides structural and biochemical support to surrounding cells in the brain may play an important role in

Alzheimer's disease. The study, which was conducted by investigators at Massachusetts General Hospital (MGH) in collaboration with scientists from Changchun Institute of Applied Chemistry of Chinese Academy of Sciences and Leibniz Institute for Interactive Materials in China and Germany, is published as a very important paper (VIP) in *Angewandte Chemie International Edition*.

The meshwork that provides support to cells—called the [extracellular matrix](#) (ECM)—contains fibrous proteins such as elastin. When the MGH researchers, along with their colleagues, investigated whether the components from brain ECM may influence the pathogenesis of Alzheimer's [disease](#), they found that elastin-like polypeptides (ELPs) of the ECM significantly increased accumulation of amyloid-beta peptides—a hallmark of Alzheimer's disease—in both cell and animal models of Alzheimer's disease. Furthermore, mice treated with ELPs showed significant cognitive impairment.

Regarding the mechanism involved, the elevation in amyloid-beta levels was related to increased processing of the precursor protein that eventually becomes amyloid-beta.

"The etiology of Alzheimer's disease is complex and has not been completely elucidated," said senior author Can (Martin) Zhang, MD, Ph.D., of the Genetics and Aging Research Unit, McCance Center for Brain Health, in the MassGeneral Institute for Neurodegenerative Disease (MGH-MIND). "Our study takes advantage of the rich expertise of our cross-disciplinary team from biochemistry, genetics, cell and [molecular biology](#), and biomaterials, which led to the discovery of a new piece in the puzzle of understanding Alzheimer's disease."

Co-author Kai Liu, Ph.D., of the Changchun Institute of Applied Chemistry, noted that the results for the first time suggest that elastin in the brain ECM is associated with Alzheimer-related pathological and

behavioral changes. "This finding provides great promise in developing ELP-based model systems to better understand the pathogenesis of Alzheimer's disease," he said.

**More information:** Kai Liu et al, Significant upregulation of Alzheimer's  $\beta$ -amyloid levels in living system induced by extracellular elastin polypeptides, *Angewandte Chemie International Edition* (2019). DOI: [10.1002/anie.201912399](https://doi.org/10.1002/anie.201912399)

Provided by Massachusetts General Hospital

Citation: Study results may provide a better understanding of Alzheimer's disease (2019, October 31) retrieved 25 April 2024 from <https://medicalxpress.com/news/2019-10-results-alzheimer-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.