


Scientists identify new signposts in blood and urine to reflect what we eat and drink

October 24 2019







Credit: CC0 Public Domain

Researchers at McMaster University have identified several chemical signatures, detectable in blood and urine, that can accurately measure dietary intake, potentially offering a new tool for physicians, dieticians and researchers to assess eating habits, measure the value of fad diets and develop health policies.

The research, published in the journal *Nutrients*, addresses a major challenge in assessing diets: studies in nutrition largely rely on participants to record their own food intake, which is subject to human error, forgetfulness or omission.

"This has been a major issue in nutritional research and may be one of the main reasons for the lack of real progress in nutritional sciences and chronic disease prevention," says Philip Britz-McKibbin, a professor in the Department of Chemistry and Chemical Biology at McMaster University and lead author of the study, which was a collaboration with Dr. Sonia Anand and colleagues from the Departments of Medicine, and Health Research, Evidence, and Impact.

Scientists set out to determine if they could identify chemical signatures, or metabolites, that reflect changes in <u>dietary intake</u>, measure those markers and then compare the data with the foods study participants were provided and then reported they had eaten. The specimens analyzed were from healthy individuals who participated in the Diet and Gene Intervention Study (DIGEST).

Over a two-week period, researchers studied two contrasting diets: the



Prudent diet, rich in fruits, vegetables, lean meats, and whole grains, and a contemporary Western <u>diet</u>, rich in trans fats, processed foods, red meat and sweetened beverages.

Researchers were able to validate a panel of metabolites in urine and plasma that correlated with the participants' consumption of fruits, vegetables, protein and/or fiber.

"We were able to detect short-term changes in dietary patterns which could be measured objectively," says Britz-McKibbin. "And it didn't take long for these significant changes to become apparent."

Britz-McKibbin cautions that food chemistry is highly complex. Our diets are composed of thousands of different kinds of chemicals, he says, and researchers don't know what role they all may play in overall health.

In future, he hopes to broaden this work by examining a larger cohort of participants over a longer period of time. His team is also exploring several ways to assess maternal nutrition during crucial stages of fetal development and its impact on obesity and metabolic syndrome risk in children.

More information: Nadine Wellington et al, Metabolic Trajectories Following Contrasting Prudent and Western Diets from Food Provisions: Identifying Robust Biomarkers of Short-Term Changes in Habitual Diet, *Nutrients* (2019). <u>DOI: 10.3390/nu11102407</u>

Provided by McMaster University

Citation: Scientists identify new signposts in blood and urine to reflect what we eat and drink



(2019, October 24) retrieved 3 May 2024 from https://medicalxpress.com/news/2019-10-scientists-signposts-blood-urine.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.