

Introduce standard units for cannabis to improve mental health

October 14 2019, by Andy Dunne



Research published via Tom Freeman points to the need to introduce a standardised unit system for cannabis. Credit: University of Bath

New findings suggest that introducing 'standard units' for cannabis could improve people's mental health.

Despite widespread use of the drug around the world and increasing moves to legalise its sale for recreational consumption, standard

units—which have been commonplace for alcohol for many years—have never been adopted in health guidelines for cannabis.

The researchers, from the Addiction and Mental Health Group at the University of Bath with collaborators from King's College London, UCL and the Australian Catholic University in Melbourne, suggest that more needs to be done to make users aware of the dose of THC – the drug's main psychoactive component.

Previous research from the team at the end of 2018 highlighted how concentrations of THC in cannabis doubled across Europe over the past decade. By combining this with new research published today (Sunday 13 October) in the journal *Addiction*, they suggest a unit level should be set at 5mg of THC.

The authors show that in countries where cannabis is legally sold, such as Canada, the number of standard units a product contains could be easily added to existing labels on product packaging.

However introducing such a system could have knock-on positive benefits for countries where cannabis is illegal, such as the UK as well. The authors suggest that an agreed international system could provide a practical guideline for consumers and doctors.

The publication coincides with a second study from the team, also published today in the journal *Psychological Medicine* which examined the relationship between using various cannabis products and key health outcomes in over 55,000 people across 175 countries.

Using the Global Drug Survey, consumers were asked about the types of cannabis products they used as well as the severity of problems relating to [cannabis use](#) including on their mental health. The results showed that people varied widely in the combination of different cannabis products

they used, and that these were strongly associated with particular health outcomes. For example, those who typically used higher THC forms of cannabis such as sinsemilla and/or hashish experienced more severe problems than those using traditional herbal products with lower levels of THC.

Due to differences between the types of cannabis sold in legal and illegal markets, the authors have commissioned a team of experts who are meeting next week in Lisbon to develop a standardized tool for assessing cannabis use in international settings, funded by the Society for the Study of *Addiction*.

Lead author of the *Psychological Medicine* study, Sam Craft from King's College London, said, "Our findings add to a growing body of evidence that suggests the health effects of cannabis are dose-related. These risks though might be modifiable and we believe that the introduction of a unit system would help both users and [healthcare professionals](#) by providing clearer information on the types of cannabis products they consume and their strength."

Senior author Dr. Tom Freeman from the University of Bath's Department of Psychology said: "Our findings highlight the need to develop an evidence-based framework to help people use cannabis more safely. The current lack of information increases the risk of harm to the consumer.

"Of course the safest level of use for cannabis is 'no use.' Yet, we know that many people across the world regularly consume cannabis so we need to consider how we can better support them in making informed choices and to minimize potential health risks such as addiction or psychosis.

"Where the unit system for alcohol has helped consumers to better

manage their alcohol intake, so too do we think this could have important implications for [cannabis](#) users. This should clear guidance about the dose of THC people are consuming.

"Our hope is that the introduction of a system in locations where it is legalized will have knock-on effects to countries where it is not , providing both users and clinicians an important toolkit to guide safer use."

More information: Tom P. Freeman et al. 'Standard THC Units': a proposal to standardise dose across all cannabis products and methods of administration, *Addiction* (2019). [DOI: 10.1111/add.14842](https://doi.org/10.1111/add.14842)

Sam Craft et al. Characterising heterogeneity in the use of different cannabis products: latent class analysis with 55 000 people who use cannabis and associations with severity of cannabis dependence, *Psychological Medicine* (2019). [DOI: 10.1017/S0033291719002460](https://doi.org/10.1017/S0033291719002460)

Provided by University of Bath

Citation: Introduce standard units for cannabis to improve mental health (2019, October 14) retrieved 23 April 2024 from <https://medicalxpress.com/news/2019-10-standard-cannabis-mental-health.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--