

# Associations between childhood maltreatment and offending behaviors later in life

November 11 2019

---

Children who experience maltreatment, such as neglect or physical or sexual abuse, are more likely to engage in delinquent and offending behaviors in adolescence and young adulthood, according to a study published in the open access journal *BMC Public Health*.

Corresponding author Hannah Lantos, a youth development expert at Child Trends, a non-profit research organization in Bethesda, Maryland, USA said: "Maltreatment and experiences of violence have been shown to impact children's wellbeing long into the future, and there is a risk of a link between experiences of [maltreatment](#) and engagement in delinquent behaviors in childhood and adolescence. Our research suggests that many [young people](#) involved in the juvenile justice system are struggling with the effects of trauma and earlier maltreatment, and that we should provide support for youth who have experienced maltreatment to engage in more pro-social behaviors."

'Delinquent [behavior](#)' refers to behaviors in young people under the age of 18 that would constitute criminal offenses if committed by adults, such as damaging another person's property or stealing, shooting or stabbing someone, using a threatening weapon to get something from someone or being in a fight.

To examine if and how the relationship between these behaviors and childhood maltreatment varied by sex, race/ethnicity, and sexual

orientation, the authors used data on 10,613 participants in the National Longitudinal Study of Adolescent to Adult Health (Add Health). Add Health includes a nationally representative sample of US adolescents who were in grades 7-12 in the 1994-95 school year who have been followed for the two and a half decades since then.

Dr. Lantos' co-author Andra Wilkinson, a youth health expert at Child Trends and the principal investigator on the project, said: "Most of the previous research in this space used child welfare or juvenile justice data, involvement in both systems is patterned by race/ethnicity. By using a large, nationally representative sample, we are getting a more objective look at the association, among a more diverse sample, over a longer developmental period of time."

The authors found that over three-fourths of the included participants (77%) reported experiencing at least one type of maltreatment in childhood. Nearly one-third of all included participants (32.5%) reported committing nonviolent offenses and 30% had committed violent offenses during adolescence.

Compared to those who did not report experiencing maltreatment, adolescents who experienced maltreatment were more likely to engage in violent behaviors and showed a faster increase in the amount of non-violent offending during early adolescence. Non-violent offending peaked in the later teenage years for all teenagers but the increase was steeper and the peak higher when the frequency of maltreatment was higher.

Among children who experienced maltreatment, males showed a significantly higher frequency of non-violent offending behaviors than females. The authors found no differences in association between maltreatment and violent or nonviolent offending behaviors by either race/ethnicity or sexual orientation.

The authors noted: "This lack of difference indicates that there is not one particular race or [sexual orientation](#) for whom maltreatment is associated with more subsequent offending, violent or nonviolent, a finding that contradicts previous research that found a linkage by race. That the association is stronger for males also challenges the notion that boys are inherently more prone to risk behaviors. This may suggest that boys are more prone to externalize following experiences of maltreatment and that appropriate supports could decrease the risk of negative behaviors."

The authors caution that, because the respondents included in this study are now in their late 30s and early 40s, their experiences of maltreatment happened some time ago. Relationships between maltreatment and offending behaviors may differ in young people who experience maltreatment today. Exploring links between specific types and frequencies of maltreatment and subsequent offending, which was not done in this study, may be an important next step in understanding whether certain types of maltreatment have a stronger relationship with certain types of offending.

Hannah Lantos said: "Our findings reinforce the need to reexamine areas where inequalities in the trajectory from maltreatment to juvenile delinquency and offending persist. Adding to our knowledge of the relationship between maltreatment and offending behaviors may help identify opportunities to support young people and may inform improvements in juvenile and adult justice systems."

**More information:** Describing associations between child maltreatment frequency and the frequency and timing of subsequent delinquent or criminal behaviors across development: variation by sex, sexual orientation, and race Lantos et al. *BMC Public Health* 2019, [DOI: 10.1186/s12889-019-7655-7](https://doi.org/10.1186/s12889-019-7655-7)

Provided by BioMed Central

Citation: Associations between childhood maltreatment and offending behaviors later in life (2019, November 11) retrieved 23 May 2024 from <https://medicalxpress.com/news/2019-11-associations-childhood-maltreatment-behaviors-life.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.