

Successful project to help dizziness sufferers expands to Europe

November 7 2019



Credit: CC0 Public Domain

An online resource, developed by the University of Southampton and proven to help people who regularly suffer from dizziness, has expanded to the Netherlands.



Researchers at the Amsterdam University Medical Centre (UMC) have created a Dutch version of the Balance Retraining interactive website and researched its effectiveness. This builds on the success of an English version of the site which has been running for over two years – helping 3,500 patients to date.

The Balance Retraining online programme shows patients how to carry out simple head and neck exercises twice daily for six weeks – adjusting the difficulty level based on reported symptoms by the patient. In addition, there is extensive information about dizziness and ways to handle symptoms.

The Dutch team compared the effectiveness of the online care with 'usual care', both combined with support from a physiotherapist and without. Their results show that the online exercises help reduce symptoms of dizziness, even if no physiotherapy support is provided. Findings are published in The *BMJ*.

Dizziness is one of the most common symptoms, especially in older people. One out of ten people aged 65 and older visits their GP at least once a year because of dizziness. An important cause of chronic dizziness is problems with the 'vestibular system' in the inner ear which controls our sense of balance. Previous research has shown that for most people with dizziness due to vestibular problems, exercises can improve recovery.

The Balance Retraining site was <u>first developed in 2017</u>, when <u>health psychology</u> and primary care researchers at the University of Southampton proved it reduced dizziness among adults aged 50 and above. The UK study found patients had significantly lower levels of dizziness symptoms after three and six months than those accessing standard care from their GP.



This latest research by Dr Vincent van Vugt and Dr Otto Maarsingh at Amsterdam UMC, working in collaboration with the University of Southampton, echoes the original UK findings.

In the Dutch study, 322 patients aged 50 years and older who regularly experience dizziness were randomised into one of three groups: online vestibular rehabilitation without support, online vestibular rehabilitation with physiotherapeutic support or usual care without restrictions. Patients from 59 different Dutch general practices filled out questionnaires at the start of the trial, after three months and after six months.

At three and six months, patients who used the online programme with or without physiotherapy support, experienced less dizziness, less disability due to dizziness and less anxiety than patients who only received usual care.

Professor of Health Psychology at the University of Southampton, Lucy Yardley, commented: "This study shows that the online programme is an effective form of treatment, even if physiotherapy support is not available. Our UK treatment programme has already shown the potential to improve care for a large group of patients with chronic dizziness symptoms and this research by our colleagues in Holland underlines this, while providing further access to much needed support."

Natasha Harrington-Benton from the UK Meniere's Society a patient-led charity for people with <u>dizziness</u>, said: "We have been offering the English version of the online Balance Retraining programme on our website for two years, since it was shown to be effective in the UK. We are very pleased to see that it is now starting to be offered to more patients worldwide through this study and other patient groups."

More information: Vincent A van Vugt et al. Internet based vestibular



rehabilitation with and without physiotherapy support for adults aged 50 and older with a chronic vestibular syndrome in general practice: three armed randomised controlled trial, *BMJ* (2019). DOI: 10.1136/bmj.15922

Provided by University of Southampton

Citation: Successful project to help dizziness sufferers expands to Europe (2019, November 7) retrieved 4 May 2024 from

https://medicalxpress.com/news/2019-11-successful-dizziness-europe.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.