

## Flipping the script on novel cancer therapy leads to insights into lupus

December 12 2019, by Bill Hathaway



Skin samples from lupus patients show heightened activity in immune system genes. Credit: Chen Lab

In the last decade, scientists discovered that blocking a key regulator of the immune system helped unleash the body's natural defenses against several forms of cancer, opening up a new era of cancer immunotherapy. Now Yale scientists have essentially flipped this script and found that



when impaired a molecularly similar regulator can cause the damaging immune system attacks on skin and organs that are the hallmark of the autoimmune disease lupus, they report Dec. 11 in the journal *Science Translational Medicine*.

The study results help explain the origins of lupus and suggest novel ways researchers might be able to restore function of this inhibitor and provide much needed new therapy to treat the <u>disease</u>, the scientists said.

The <u>immune system</u> has a series of regulators designed to prevent it from attacking tissues in its host, a system that goes awry in autoimmune diseases. Yale researchers found that mice lacking an immune system inhibitor called programmed death-1 homolog, or PD-1H, spontaneously developed symptoms that resemble two forms of lupus—systemic, in which the immune system attacks multiple organs; and cutaneous, which is marked by pronounced skin deformities.

"This molecule is clearly involved in inhibiting lupus, but it seems to be selective because it does not have the same effect in several other <u>autoimmune diseases</u>," said senior author Lieping Chen, the United Technologies Corporation Professor in Cancer Research, and professor of immunobiology, dermatology, and medicine.

PD-1H is molecularly similar to the more commonly known PD-1 molecule, which also helps suppress immune system response. Chen was a pioneer in identifying and developing inhibitors to PD-1, which freed T cells to attack several forms of <u>cancer</u>. Several labs have also tried to use PD-1H as a <u>cancer treatment</u> but so far have been unsuccessful.

Chen said his findings suggest that in people with lupus the function of PD-1H is critical. When it is impaired, they are vulnerable to the immune system attacks on skin and multiple organs that are the hallmark of the disease.



Lupus patients currently have very limited options for treatment, but the new findings suggest a novel approach called protein fusion might mimic PD-1H and help control the immune system and combat the disease, Chen said.

**More information:** Xue Han et al, PD-1H (VISTA)–mediated suppression of autoimmunity in systemic and cutaneous lupus erythematosus, *Science Translational Medicine* (2019). DOI: 10.1126/scitranslmed.aax1159

Provided by Yale University

Citation: Flipping the script on novel cancer therapy leads to insights into lupus (2019, December 12) retrieved 7 May 2024 from <u>https://medicalxpress.com/news/2019-12-flipping-script-cancer-therapy-insights.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.