

## High androgen levels during pregnancy increase the risk of PCOS for several generations

December 2 2019



Credit: CC0 Public Domain

Daughters of women with polycystic ovarian syndrome (PCOS) are five times more likely to be diagnosed with PCOS as adults, and the



generational transmission is driven by high androgen levels during pregnancy, researchers at Karolinska Institutet in Sweden report. Their results, which are based on register-based and clinical studies as well as transgenerational animal studies, are published in *Nature Medicine*.

PCOS affects more than ten percent of women of fertile age and is characterised by high levels of androgens (male sex hormones), ovulation disorders and difficulties conceiving. The syndrome is also associated with mental health conditions and a greatly increased risk of type 2 diabetes and obesity, which aggravate the symptoms. While the causes of PCOS are not fully known, the uterine environment plays a key role.

In this study, researchers at Karolinska Institute combined human and mouse studies to ascertain how and to what extent the syndrome is passed down to coming generations. A registry-based study and a case-control study show that daughters of women with PCOS are five times more likely to develop the syndrome in adulthood; they have higher levels of androgens and irregular menstrual cycles as well as abdominal obesity, higher BMI and higher blood pressure.

In the animal studies, pregnant mice were fed an obesogenic diet and exposed to high levels of androgens mimicking those conditions observed in pregnant women with PCOS. Their offspring were then fed with a regular diet and monitored into adulthood, at which point the females' reproductive and metabolic profiles were examined. To find out if PCOS-like symptoms are transmitted to coming generations, four groups of these mice were mated to study the reproductive and metabolic profile in second-generation offspring. The whole process was then repeated for a third generation to address whether a PCOS phenotype could be transmitted across several generations.

"By doing this we were able to demonstrate that the combination of high



androgen levels during pregnancy and an obesogenic diet consumed by the grandmothers has a deleterious effect on the fetal development of the second generation, leading to intrauterine growth restriction and miscarriage partly due to placenta dysfunction, which is in line with previous observations of women with PCOS," says Professor Elisabet Stener-Victorin at the Department of Physiology and Pharmacology, Karolinska Institutet, who co-led the study with associate professor and departmental colleague Qiaolin Deng.

The results show that the main contributor to the generational transmission of PCOS symptoms are androgens.

"This is a formerly unknown biological mechanism that leads us to explore in more detail how <u>germ cells</u> are programmed by androgens to cause daughters of women with PCOS developing reproductive and metabolic disorders as adults," says Qiaolin Deng.

Analyses of the mice oocytes revealed alterations in gene expression that are involved in the cellular stress response, type 2 diabetes and DNA stability, changes that are passed down to future generations. Some of these genes could also be identified in serum from daughters of women with PCOS, which the researchers say could provide potential biomarkers for predicting an increased risk of syndrome transmission.

**More information:** Prenatal androgen exposure and transgenerational susceptibility to polycystic ovary syndrome, *Nature Medicine* (2019). DOI: 10.1038/s41591-019-0666-1, nature.com/articles/s41591-019-0666-1

Provided by Karolinska Institutet



Citation: High androgen levels during pregnancy increase the risk of PCOS for several generations (2019, December 2) retrieved 2 May 2024 from <a href="https://medicalxpress.com/news/2019-12-high-androgen-pregnancy-pcos.html">https://medicalxpress.com/news/2019-12-high-androgen-pregnancy-pcos.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.