

Hydration myths may be putting older people's health at risk

December 13 2019



Credit: CC0 Public Domain

Myths about healthy water drinking may be putting older people's health at risk by discouraging them from drinking enough fluid to stay healthy, according to a new UCL-led study.

Dehydration is thought to affect between a third to nearly half of frail older people and is associated with a higher risk of adverse [health](#) outcomes, from having a stroke or a fall to being admitted to hospital.

For example, it is known that people who are admitted to hospital after a stroke are more than twice as likely to suffer significant impairment if they are dehydrated when they [are admitted](#).

The study, published in *Age and Ageing*, aimed to assess older people's views on [hydration](#), conducting one-to-one interviews with 24 people aged over 75 who lived at home in north and central London, as well as nine informal carers. Until now little research has been done into the views on hydration of elderly people who do not live in [care homes](#).

Researchers concluded that, while interviewees were somewhat aware of [public health messages](#) on hydration, many misconceptions existed.

Lead author Dr Cini Bhanu (UCL Epidemiology & Health Care) said: "Keeping well hydrated is key to good health among older people, reducing the risk of hospital admissions and other poor health outcomes. However, many do not link hydration to [good health](#) and are unsure of how much to drink.

"Many misconceptions exist – for instance, that thirst is a reliable indicator of when you need to drink, when this may no longer be the case for older people. Another myth is that you have to drink water – in fact, tea, coffee and juices all count."

Older women are advised to drink 1.6 litres of fluid (eight glasses) a day, while older men are advised to drink two litres (10 glasses). Our appetite for food and drink is reduced as we get older, so the advice is to drink regularly, even when not thirsty.

Researchers recommended that older people should be encouraged to drink more of what they enjoy and to build on existing habits – for instance, [drinking](#) more fluid as part of everyday routines, such as when taking tablets.

They concluded that older people may be best supported to drink well if individual barriers such as fear of incontinence or difficulty getting to the toilet were taken into account.

Interventions were likely to be more effective, the authors argued, if they maintained drinking as a pleasurable experience, considering taste, variety and the role of drinking in socialising. Advice from GPs was rare, but tended to be listened to, the study found.

For some participants, a significant proportion of fluid intake came in the form of alcoholic drinks. The authors noted that beer and lager can be hydrating in some cases, consumed within recommended guidelines, for those who do not need to restrict alcohol intake for other reasons.

Several participants suggested that hydration guidelines were unachievable and not important to them. One interviewee said: "I've never drunk very much water and I still don't, and I see no reason to do so."

More information: Cini Bhanu et al. 'I've never drunk very much water and I still don't, and I see no reason to do so': a qualitative study of the views of community-dwelling older people and carers on hydration in later life, *Age and Ageing* (2019). [DOI: 10.1093/ageing/afz141](https://doi.org/10.1093/ageing/afz141)

Abstract T MP86: A Prospective Study of the Effect of Dehydration on Stroke Severity and Short Term Outcome.
ahajournals.org/doi/abs/10.1161/str.46.suppl_1.tmp86

Provided by University College London

Citation: Hydration myths may be putting older people's health at risk (2019, December 13)
retrieved 2 May 2024 from

<https://medicalxpress.com/news/2019-12-hydration-myths-older-people-health.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--