

Understanding malnutrition in vulnerable older New Zealanders

December 3 2019



Credit: CC0 Public Domain

New Massey University research that explores the eating habits of older people provides crucial insights for helping to prevent malnutrition in ageing New Zealanders.

The [qualitative study](#), Eating less the logical thing to do? Vulnerability to [malnutrition](#) with advancing age, was recently published in the international research journal *Appetite*. It was completed by researchers at Massey's School of Sport, Exercise and Nutrition, led by Associate Professor Carol Wham.

The research explores the perspectives and experiences of older New Zealanders' [food intake](#) to understand factors that may lead to malnutrition.

"We know there is a problem with malnutrition among vulnerable older people who live in their own homes and this study goes some way to understanding this in more detail so we can begin to plan and implement strategies to address the problem."

Some participants reported they probably ate only half of what they had eaten in the past. Almost all participants ate less because they thought it was the logical thing to do given that they undertake less physical activity. Their low appetites mean they rarely feel hungry and many regarded eating as a chore. While being around others encouraged eating, if someone was caring for a sick spouse, or were in a stressful situation, this reduced their appetite too.

Many were conscious of [healthy eating](#) and were focused on consuming more vegetables, while reducing their fat and sugar intake. Several said they had a preference for [food](#) they had grown up with, but could no longer readily access, or needed to avoid particular foods because of illnesses, food intolerance and chewing difficulties.

Dr. Wham says not eating enough food is a challenge to maintaining a healthy weight, especially when multiple factors combine like illness, reduced mobility and barriers such as not having access to preferred foods. Weight loss leads to a loss of muscle mass and strength and

problems associated with frailty.

"Participants were purposively selected to represent ethnic diversity and on the basis of presence or absence of chronic conditions. Several respondents had multiple conditions such as hypertension, arthritis, gout, high blood sugar or cholesterol; most identified as having an illness severity of moderate or severe."

The majority of participants took more than five medications and most were identified to be either malnourished or at risk of malnutrition. Previous studies have reported that about one in three older New Zealanders living in the community are at risk of malnutrition.

Evidence suggests peer volunteers trained to perform strength exercises and have nutrition-related discussions can help reduce malnutrition risk and improve frailty among community-dwelling older adults.

Dr. Wham says identifying those who are at risk of malnutrition is an important first step. Then, people's vulnerability to malnutrition can be reduced through focusing on individual perceptions and behaviors.

The study showed improving physical function among vulnerable [older adults](#) may be paramount in preventing decreased food intake, while encouraging appetizing energy drinks or snacks could also help. Social support to maintain the health and resilience of older carers is also critical to ensuring their eating habits aren't compromised while caring for a spouse. Caregivers play an important role but they need to receive health and nutrition training.

"Given New Zealand's aging population and encouragement for older people to live in their own homes as long as possible, it is an increasingly important challenge to overcome," Dr. Wham says. "It's about increasing older people's quality of life, of which nutrition play an important part."

More information: Idah Chatindiara et al. Eating less the logical thing to do? Vulnerability to malnutrition with advancing age: A qualitative study, *Appetite* (2019). [DOI: 10.1016/j.appet.2019.104502](https://doi.org/10.1016/j.appet.2019.104502)

Provided by Massey University

Citation: Understanding malnutrition in vulnerable older New Zealanders (2019, December 3)
retrieved 27 April 2024 from
<https://medicalxpress.com/news/2019-12-malnutrition-vulnerable-older-zealanders.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.