

Tropical flower offers potential new route for treating pancreatic cancer

December 11 2019



Axial CT image with i.v. contrast. Macrocystic adenocarcinoma of the pancreatic head. Credit: public domain

An international team of scientists led by the University of Bath have made drug-like molecules inspired by a chemical found in a tropical flower, that they hope could in the future help to treat deadly pancreatic



cancer.

- Pancreatic cancer is one of the most aggressive and deadly cancers
- Around 10,000 patients in the UK per year die from this type of cancer
- Patients have an average survival of less than 6 months
- Pancreatic cancer is the third leading cause of cancer-related deaths in the EU, more than breast cancer

Researchers from the University of Bath have made three new <u>molecules</u> similar to Grandifloracin, a chemical found in the tropical plant Uvaria grandiflora, which grows in Malaysia, Indonesia, Thailand and the Philippines.

Their study, which was done in collaboration with Professor Suresh Awale from the University of Toyama, Japan, shows that all three molecules kill pancreatic cancer <u>cells</u> in a petri dish. Two of these killed the cells more effectively than the original Grandifloracin molecule.

Since pancreatic cancer causes few symptoms, many patients don't realise they are affected until it has already spread to other organs. Pancreatic cancer is also very difficult to treat as the tumours have resistance to many <u>anti-cancer drugs</u>—so these molecules could become a valuable tool in combating the condition.

Whilst this research is more than five years away from trialling new drugs in humans, the researchers say these molecules could become a promising new class of drugs for treating pancreatic cancer.

The research is published in the journal *ChemMedChem*.

Dr. Simon Lewis, Senior Lecturer in Chemistry from the University of



Bath, said: "Pancreatic cancers are especially aggressive and fastgrowing, so the tumours develop faster than the blood vessels can supply nutrients to them.

"This leads to a lack of nutrients, to an extent that would kill ordinary cells, but the pancreatic cancer cells can survive these 'austere' conditions and keep on growing.

"The molecules we have identified are so-called 'anti-austerity' agents that can remove the ability of the <u>cancer</u> cells to tolerate these starvation conditions, so they will die, whereas ordinary cells with a normal supply of nutrients remain unaffected."

Dr. Lorenzo Caggiano, Senior Lecturer in the Medicinal Chemistry group at the University's Department of Pharmacy & Pharmacology, said: "Through evolution, nature has developed a huge variety of active compounds to help it survive and thrive under a wide range of environmental conditions.

"These so-called <u>natural products</u> are of great interest in the development of new drugs and as such approximately a quarter of all medicines are derived from plants.

"As part of our ongoing research into the development of new treatments for brain cancers based on compounds found in daffodils, the research published in collaboration with Dr. Lewis describes a compound also found in flowering plants that is able to selectively kill <u>pancreatic cancer</u> cells in a new way.

"This exciting approach could potentially lead to a new drug to treat pancreatic cancers that is more effective yet less toxic than current treatments."



More information: Benjamin E. Alexander et al, Sidechain Diversification of Grandifloracin Allows Identification of Analogues with Enhanced Anti-Austerity Activity against Human PANC-1 Pancreatic Cancer Cells, *ChemMedChem* (2019). DOI: <u>10.1002/cmdc.201900549</u>

Provided by University of Bath

Citation: Tropical flower offers potential new route for treating pancreatic cancer (2019, December 11) retrieved 30 April 2024 from <u>https://medicalxpress.com/news/2019-12-tropical-potential-route-pancreatic-cancer.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.