


White Americans far likelier to receive HIV prevention drug than minorities

December 3 2019



Credit: CC0 Public Domain

White Americans who are at risk of HIV are seven times more likely than blacks to receive a daily oral pill shown to be extremely effective at preventing infection, according to official statistics published Tuesday.

The figures released by the Centers for Disease Control and Prevention (CDC) underscore that [racial disparities](#) remain a core challenge for the administration of President Donald Trump in its stated goal of ending the HIV epidemic by 2030.

At-risk [racial minorities](#) and people in lower income brackets are less likely to know about pre-exposure prophylaxis, or PrEP, or to get a prescription from a doctor even if they are aware of its benefits.

PrEP, which has been available since 2012, includes two HIV antiretroviral medications and reduces the risk of getting HIV from sex by about 99 percent when taken daily, according to studies cited by the CDC.

"We can end the status quo providing that we change our expectations and the culture of satisfaction where we're at now," Jay Butler, the CDC's deputy director of infectious diseases said during a teleconference with reporters.

PrEP coverage grew to 18 percent of the at-risk population of 1.2 million people in 2018, against just 9 percent in 2016.

But the rise glosses over glaring disparities: the drug was used by 42 percent of at-risk whites, 11 percent of Hispanic/Latinos and just six percent of blacks.

There's also dramatic regional variation, with 41 percent covered in New York, a percentage that drops to single digits in several less wealthy states.

Racial differences also arise in the percentage of people diagnosed with HIV who have access to retroviral drugs that effectively reduce the viral load to the point it is undetectable after six months and cannot be transmitted on to others.

Fifty-seven percent of diagnosed black Americans had a suppressed viral load against 69 percent of whites.

Many HIV-positive black people lack health coverage, are homeless or in prison, said the CDC, factors that make taking daily medications much more complicated.

The CDC found that two-thirds of new HIV diagnoses in 2018 were among blacks and Hispanic/Latinos.

© 2019 AFP

Citation: White Americans far likelier to receive HIV prevention drug than minorities (2019, December 3) retrieved 24 April 2024 from <https://medicalxpress.com/news/2019-12-white-americans-likelier-hiv-drug.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.