

# Eight deaths in Germany blamed on shrew-borne disease

January 8 2020, by Marlowe Hood

---



Researchers speculated the disease could be transmitted by house cats that come into contact with infected shrews

Eight cases of the Borna virus, transmitted by shrews, have been

identified in encephalitis patients who died between 1999 and 2019, researchers said Wednesday.

All eight cases occurred in southern Germany, mostly among people living in rural or semi-rural areas and in regular contact with animals, they reported in *The Lancet Infectious Diseases*, a [medical journal](#).

Carried by the bicoloured white-toothed shrew, the virus triggers an inflammation of the brain, and is known to affect horses and sheep.

The researchers speculated that it could be transmitted by house cats that had come into contact with infected shrews.

Symptoms start with fever, headaches and confusion, and progress to memory loss, convulsions and loss of consciousness.

There is no known treatment for the disease, which gets its name from a town in Germany and was first described in the late 18th century.

In the eight newly identified cases, patients fell into a coma and died 16 to 57 days after hospital admission.

"Our findings indicate that Borna disease virus infection has to be considered a severe and potentially lethal human disease transmitted from a wildlife reservoir," said co-author Barbara Schmidt from Regensburg University Hospital.

"It appears to have occurred unnoticed in humans for at least decades, and may have caused other unexplained cases of encephalitis in regions where the virus is endemic in the host [shrew](#) population."

The scientists recommended testing for Borna virus in patients who suffer rapid deterioration of their nervous systems in order to establish

the scale of infection among humans.

"It is still relatively rare in absolute numbers, but it might be behind a larger proportion of unexplained severe-to-fatal encephalitis cases," said co-author Martin Beer from the Friedrich-Loeffler Institute.

"Only more tests on patients with severe or even deadly encephalitis will find this out."

The study, led by Hans Helmut Niller of the Institute of Microbiology and Hygiene in Regensburg, examined the brain tissue of 56 patients who developed encephalitis-like symptoms at some point over the last two decades.

The new findings bring the [total number](#) of confirmed Borna cases in southern Germany—all fatal—to 14.

The researchers were not able to definitively establish how the Borna [virus](#) was transmitted to humans, but victims for which such information was available lived in rural settings around animals.

"In at least seven cases, close contact with cats was reported," they said in a statements.

"When cats hunt, they might bring shrews into their homes, exposing humans to them."

The genetic profiles of all eight of the new cases were all distinct and matched the profile of locally infected shrews or horses, suggesting the infections occurred independently.

© 2020 AFP

Citation: Eight deaths in Germany blamed on shrew-borne disease (2020, January 8) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-01-deaths-germany-blamed-shrew-borne-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.