

Harmful effects of ageism on older persons' health found in 45 countries

January 15 2020



Credit: CC0 Public Domain

In the largest examination to date of the health consequences of ageism, or age-based bias, researchers at the Yale School of Public Health have found evidence that it harms the health of older people in 45 countries

and across 5 continents. The study included over 7 million participants.

Yale Professor Becca Levy was asked by the World Health Organization to lead the analysis as part of its newly launched Global Campaign to Combat Ageism, which is supported by 194 countries. Levy is a professor at the Yale School of Public Health and in the Yale Psychology Department.

The analysis was based on a [systematic review](#) of 422 studies around the world. There was evidence of the adverse effects of ageism on [older persons](#) in 96% of the studies.

"The injurious reach of ageism that our team documented demonstrates the need for initiatives to overcome ageism," said Levy, the study's senior author. The study appears in the current *PLOS ONE* journal.

The Yale School of Public Health study is the first systematic review of ageism that simultaneously considered structural-level ageism, such as denied access to [health care](#), and individual-level ageism, such as the power of stress-inducing negative age stereotypes assimilated from culture to affect the health of older persons.

The Yale team found evidence that ageism led to worse outcomes in a number of mental health conditions, including depression, and a number of physical health conditions, including shorter life expectancy. Ten studies showed that when older persons assimilate negative age stereotypes from the culture, they have a shorter life expectancy. This survival finding, which was originally identified by Levy in previous research, was later found by the studies of others in multiple countries, including Australia, Germany, and China.

In the current study, Levy and her team found that ageism adversely affected whether or not older patients received [medical treatment](#) and, if

they received the treatment, the duration, frequency, and appropriateness of the treatment provided. Evidence of denied access to health care treatments was found in 85% of all relevant studies. In 92% of the international studies of health care students and professionals, there were indications of ageism in medical decisions, and this trend has increased over time, said the researchers.

This systematic review also found ageism affected older persons regardless of their age, sex, and racial/ethnic membership.

"Our research highlights the importance of recognizing the influence of ageism on health," said first author E-Shien Chang, a Ph.D. candidate in the Department of Social and Behavioral Sciences at the Yale School of Public Health. "Policies to improve older persons' [health](#) must take [ageism](#) into account."

Provided by Yale University

Citation: Harmful effects of ageism on older persons' health found in 45 countries (2020, January 15) retrieved 24 July 2024 from <https://medicalxpress.com/news/2020-01-effects-ageism-older-persons-health.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
