

# Becoming less active and gaining weight: Downsides of becoming an adult

January 20 2020

---



Credit: CC0 Public Domain

Leaving school and getting a job both lead to a drop in the amount of physical activity, while becoming a mother is linked to increased weight gain, conclude two reviews published today and led by researchers at the

University of Cambridge.

Many people tend to put on [weight](#) as they leave adolescence and move into adulthood, and this is the age when the levels of obesity increase the fastest. This weight gain is related to changes in diet and [physical activity](#) behaviour across the life events of early adulthood, including the move from [school](#) to further education and employment, starting [new relationships](#) and having children.

Writing in *Obesity Reviews*, researchers from the Centre for Diet and Activity Research (CEDAR) at Cambridge looked at changes in physical activity, diet and body weight as [young adults](#) move from education into employment and to becoming a parent. To do this, they carried out systematic reviews and meta-analyses of existing scientific literature—these approaches allow them to compare and consolidate results from a number of often-contradictory studies to reach more robust conclusions.

## Leaving school

In the first of the two studies, the team looked at the evidence relating to the transition from high school into [higher education](#) or employment and how this affects body weight, diet and physical activity. In total, they found 19 studies covering ages 15-35 years, of which 17 assessed changes in physical activity, three body weight, and five diet or eating behaviours.

The team found that leaving high school was associated with a decrease of seven minutes per day of moderate-to-vigorous physical activity. The decrease was larger for males than it was for females (a decrease of 16.4 minutes per day for men compared to 6.7 minutes per day for women). More detailed analysis revealed that the change is largest when people go to university, with overall levels of moderate-to-vigorous physical

activity falling by 11.4 minutes per day.

Three studies reported increases in [body weight](#) on leaving high school, though there were not enough studies to provide a mean weight increase. Two studies suggested that diets decrease in quality on leaving [high school](#) and one suggested the same on leaving university.

"Children have a relatively protected environment, with [healthy food](#) and exercise encouraged within schools, but this evidence suggests that the pressures of university, employment and childcare drive changes in behaviour which are likely to be bad for [long-term health](#)," said Dr. Eleanor Winpenney from CEDAR and the MRC Epidemiology Unit at the University of Cambridge.

"This is a really important time when people are forming healthy or unhealthy habits that will continue through adult life. If we can pinpoint the factors in our adult lives which are driving unhealthy behaviours, we can then work to change them."

## Becoming a parent

In the second study, the team looked at the impact of becoming a parent on weight, diet and physical activity.

A meta-analysis of six studies found the difference in change in body mass index (BMI) between remaining without children and becoming a parent was 17%: a woman of average height (164cm) who had no children gained around 7.5kg over five to six years, while a mother of the same height would gain an additional 1.3kg. These equate to increases in BMI of 2.8 versus 3.3.

Only one study looked at the impact of becoming a father and found no difference in change.

There was little evidence looking at physical activity and diet. Most studies including physical activity showed a greater decline in parents versus non-parents. The team found limited evidence for diet, which did not seem to differ between parents and non-parents.

"BMI increases for women over young adulthood, particularly among those becoming a mother. However, new parents could also be particularly willing to change their behaviour as it may also positively influence their children, rather than solely improve their own health," said Dr. Kirsten Corder, also from CEDAR and the MRC Epidemiology Unit.

"Interventions aimed at increasing parents' activity levels and improving [diet](#) could have benefits all round. We need to take a look at the messages given to new parents by health practitioners as previous studies have suggested widespread confusion among new mothers about acceptable pregnancy-related [weight gain](#)."

**More information:** Winpenny, E. et al. Changes in physical activity, diet and body weight across the education and employment transitions of early adulthood: A systematic review and meta-analysis. *Obesity Reviews*; 20 Jan 2020

Corder, K. et al. Becoming a parent: a systematic review and meta-analysis of changes in BMI, diet and physical activity. *Obesity Reviews*; 20 Jan 2020

Provided by University of Cambridge

Citation: Becoming less active and gaining weight: Downsides of becoming an adult (2020, January 20) retrieved 2 May 2024 from <https://medicalxpress.com/news/2020-01-gaining-weight->

[downsides-adult.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.