


'Love hormone' improves attachment issues in people with autism

January 22 2020, by Tine Danschutter, Katrien Bollen



Spacefilling model of oxytocin. Created using ACD/ChemSketch 8.0, ACD/3D Viewer and The GIMP. Credit: Wikipedia.

Oxytocin, often dubbed the "love hormone," is known to promote social bonding. Researchers at KU Leuven have now discovered that administering oxytocin to adult men with autism makes them more open to close emotional bonds with others. The hormone has positive long-term effects as well. The researchers published their findings in the journals *Molecular Autism* and *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging*.

A team led by Professor Kaat Alaerts (KU Leuven) recruited 40 [adult men](#) with [autism spectrum disorder](#) to take part in their study.

"In a [first stage](#), we examined the amount of oxytocin produced by the participants themselves. The subjects also filled out several questionnaires," Professor Alaerts explains. "An analysis of the data revealed that the amount of oxytocin found in the subjects' saliva was inversely related to their self-reported attachment issues."

In a second stage of the research, the team examined the long-term effects of administering oxytocin through a nasal spray. This experiment produced remarkable results: the participants who had been given oxytocin for four weeks experienced positive effects until up to a year later.

Less repetition, more attachment

"We divided the 40 participants into an experimental group and a [control group](#). The control group received a placebo for four weeks," says doctoral student Sylvie Bernaerts, who is the first author of the study in *Molecular Autism*.

"Over the course of a full year, we also asked the participants to fill out questionnaires on four different occasions. These questionnaires were used to examine the impact of the oxytocin-containing nasal spray on the symptoms of autism."

In terms of social interaction, the researchers found no difference between the experimental group and the control group. But for repetitive behavior (including the need for routines) and attachment, the results were significant: "The people in the experimental group reported far less repetitive behavior and also reported fewer problems with forming close relationships."

This study shows for the first time what the long-term effects are of repeatedly administering oxytocin to people with autism. Professor

Alaerts: "Participants who took oxytocin every day for four weeks experienced positive effects until up to a year later. That's a remarkable result."

Further research necessary

For this study, the scientists only selected male participants. This was partly because autism is more prevalent in men, and women's hormonal cycle may influence the test results. Furthermore, oxytocin is already being used to induce labor or breastfeeding in pregnant women or women who have recently given birth, respectively. In other words, there are more factors to take into account in female test subjects.

And what about using oxytocin as a treatment? "As oxytocin is already being used in medicine, you might think that we can start using it quite soon to address attachment issues or to reduce repetitive behavior in people with autism," says Professor Alaerts. But she is quick to temper expectations: "The findings we're presenting today are the result of a first pilot study. A lot of further research needs to be done before [oxytocin](#) can be used to treat people with [autism](#)."

More information: Sylvie Bernaerts et al, Behavioral effects of multiple-dose oxytocin treatment in autism: a randomized, placebo-controlled trial with long-term follow-up, *Molecular Autism* (2020). DOI: [10.1186/s13229-020-0313-1](https://doi.org/10.1186/s13229-020-0313-1)

Kaat Alaerts et al. Amygdala–Hippocampal Connectivity Is Associated With Endogenous Levels of Oxytocin and Can Be Altered by Exogenously Administered Oxytocin in Adults With Autism, *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* (2019). DOI: [10.1016/j.bpsc.2019.01.008](https://doi.org/10.1016/j.bpsc.2019.01.008)

Provided by KU Leuven

Citation: 'Love hormone' improves attachment issues in people with autism (2020, January 22)
retrieved 2 May 2024 from

<https://medicalxpress.com/news/2020-01-hormone-issues-people-autism.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--