

Neural effects of acute stress on appetite: A magnetoencephalography study

January 29 2020



Credit: Osaka City University

Stress is prevalent in modern society and can affect human health through its effects on appetite. However, knowledge about the neural mechanisms related to the alteration of the subjective level of appetite caused by acute stress in humans remains limited. We focused on the effects of stress caused by expecting critical personal events such as school examinations and public speaking engagements on appetite and aimed to clarify the neural mechanisms by which acute stress affects appetite in healthy, non-obese males during fasting.



In total, 22 fasted male volunteers participated in two experiments (stress and control conditions) on different days. The participants performed a stress-inducing speech-and-mental-arithmetic task under both conditions, and then viewed images of food, during which, their <u>neural</u> <u>activity</u> was recorded using magnetoencephalography (MEG). In the stress condition, the participants were told to perform the speech-andmental-arithmetic task again subsequently to viewing the food images; however, another speech-and-mental-arithmetic task was not performed actually. Subjective levels of stress and appetite were then assessed using a visual analog scale. Electrocardiography was performed to assess the index of heart rate variability reflecting sympathetic nerve activity.

The findings showed that subjective levels of stress and sympathetic nerve activity were increased during the MEG recording in the stress condition, whereas appetite gradually increased during the MEG recording only in the control condition. The decrease in alpha (8-13 Hz) band power in the frontal pole caused by viewing the food images was greater in the stress condition than in the control condition, suggesting that acute stress can suppress the increase of appetite and this suppression is associated with alteration of the neural activity in the frontal pole.

Since it has been reported that the frontal pole is involved in the thinking and planning of future actions and the cognitive control of appetite, it is speculated that the participants' expectations of the forthcoming speechand-mental-arithmetic task in our present study activated the frontal pole for the thinking and planning of future actions. This activation of the frontal pole might have interfered with the regulatory processes related to appetite that were also subserved by the frontal pole, resulting in the suppression of appetite under the stress caused in our experiment. These findings will provide valuable clues to gain a further understanding of the <u>neural mechanisms</u> by which <u>acute stress</u> affects <u>appetite</u>, and could contribute to the development of methods to prevent and reduce the



adverse effects on health caused by stress.

More information: Chika Nakamura et al, Neural effects of acute stress on appetite: A magnetoencephalography study, *PLOS ONE* (2020). DOI: 10.1371/journal.pone.0228039

Provided by Osaka City University

Citation: Neural effects of acute stress on appetite: A magnetoencephalography study (2020, January 29) retrieved 4 May 2024 from <u>https://medicalxpress.com/news/2020-01-neural-effects-acute-stress-appetite.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.