

# Women with colorectal cancer fare better if they have social support

January 23 2020

---



Cancer cell during cell division. Credit: National Institutes of Health

New research from Kaiser Permanente finds that post-menopausal women with colorectal cancer were more likely to die from their disease or from any cause if they had low social support before diagnosis. The

analysis of 1,429 women in the national long-term health study Women's Health Initiative, which included patients from Kaiser Permanente and other health systems, was published in the journal *Cancer* January 23.

The study found that women who reported low [social support](#) had 52% higher overall mortality than those who reported high levels of support, and 42% higher mortality from [colorectal cancer](#) specifically. The results confirm previous research suggesting a role for social support for patients with serious illness, said lead author Candyce Kroenke, MPH, ScD, a research scientist with the Kaiser Permanente Division of Research. "These findings support the idea that women who have supportive friends and family around them when they are diagnosed do better," Kroenke said. The researchers delved into the specifics of the women's personal connections, their links with the community, and their living status to better understand the association. They found higher rates of mortality when women lacked:

- Emotional support: caring and concern
- Informational support: help provided through information
- Tangible support: help with tasks, chores, or tangible needs
- Positive interaction: someone for the patient to have fun with and take their mind off their illness

In a separate analysis on the impact of social integration, researchers found that having a partner or engaging with their community or in a religious organization was associated with lower risk of death from [rectal cancer](#), but not colon cancer.

Similarly, the analysis found that living alone was associated with higher mortality in patients with rectal cancer. Kroenke said these different findings for rectal and colon cancer need to be replicated.

For patients, the study's message is to lean on others when dealing with a

serious diagnosis. "You can and should ask for support instead of going it alone," Kroenke said.

For [medical practitioners](#), the findings are a reminder that social support is an important determinant of outcomes, Kroenke said. "Clinicians can identify patients who are at risk of low social support and provide them with additional resources," she said. Resources might include a therapist to help with the emotional burden of cancer treatment or social services to provide logistical help such as rides to the doctor.

Kaiser Permanente patients in Northern California diagnosed with cancer undergo a 22-point evaluation of their practical, family, emotional, and spiritual support. After treatment cancer patients receive personalized survivorship care including social and [emotional support](#).

Brian Missett, MD, associate executive director of The Permanente Medical Group, said this support is part of Kaiser Permanente's commitment to the total health of its patients. "In viewing our patients as holistic beings with a variety of needs, we provide more comprehensive care that leads to better outcomes," he said.

**More information:** Candyce H. Kroenke et al. Prediagnosis social support, social integration, living status, and colorectal cancer mortality in postmenopausal women from the women's health initiative, *Cancer* (2020). [DOI: 10.1002/cncr.32710](https://doi.org/10.1002/cncr.32710)

Provided by Kaiser Permanente

Citation: Women with colorectal cancer fare better if they have social support (2020, January 23) retrieved 23 April 2024 from <https://medicalxpress.com/news/2020-01-women-colorectal-cancer-fare-social.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.