

Genetic changes implicated in altered Alzheimer's risk

February 5 2020



Credit: CC0 Public Domain

Today, researchers from UCL have presented more evidence that a gene, PSEN1, implicated in inherited, early-onset Alzheimer's disease is also involved in the more common form of the condition. They also suggest genes that play a key role in a fundamental cellular process could decrease or increase the risk of developing the disease. The research was published in the scientific journal *Nature*.

Dr. Katy Stubbs at Alzheimer's Research UK said:

"Diseases like Alzheimer's are caused by a complex mix of age, genetics and lifestyle, with various factors contributing to an individual's risk.

"These findings suggest that certain changes to [genes](#) involved in maintaining the delicate energy balance in our cells may increase our risk of Alzheimer's, while others may help protect against the disease.

"While genetic discoveries are often an important starting point for research into new treatments, it is too early to say whether drugs that target this [genetic pathway](#) in people could help tackle Alzheimer's without hampering other crucial cellular processes.

"The work also shows that PSEN1, a gene known to cause rare inherited cases of early-onset Alzheimer's disease, is implicated in the more common form of the disease. It's vital that we see more research capitalizing on genetic leads like this to accelerate the rate of meaningful breakthroughs in dementia.

"Genetics play an important role in influencing the risk of Alzheimer's and while we can't change the genes we inherit, [research](#) shows that a [healthy lifestyle](#) can help to stack the odds in our favor. A brain healthy lifestyle includes staying physically and socially active, eating a [balanced diet](#), drinking within recommended guidelines, and not smoking."

More information: David Curtis et al. Weighted burden analysis of exome-sequenced late onset Alzheimer's cases and controls provides further evidence for a role for PSEN1 and suggests involvement of the PI3K/Akt/GSK-3 β and WNT signalling pathways, (2019). [DOI: 10.1101/596007](#)

Provided by Alzheimer's Research UK

Citation: Genetic changes implicated in altered Alzheimer's risk (2020, February 5) retrieved 23 April 2024 from <https://medicalxpress.com/news/2020-02-genetic-implicated-alzheimer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.