

## Why it's important to study coronaviruses in African bats

February 19 2020, by Wanda Markotter



Viral sequences related to known human coronavirus outbreaks have been identified in horsehoe bats. Credit: Dr. Low de Vries, Author provided

The current outbreak of a new coronavirus disease, <u>named COVID-19</u>, raises the question of where diseases like this come from and where the



risks lie. By the middle of February almost 2000 people had died in this outbreak, which has also had a global economic impact.

It is clear that the virus may have an animal reservoir. In other words, it may be permanently found in a host species of animal, where it does not normally cause disease. Viruses can spill over from the host to other animals and humans. Evidence <u>points</u> to a possible initial spillover of the virus into humans and other animals in an animal market in Wuhan in China.

Bats are prone to act as reservoir for viruses. Chinese populations of the horseshoe bat genus (Rhinolophus) have already been <u>found</u> to host viruses similar to the new coronavirus. This suggests that it's important to watch out for <u>related viruses</u> in this genus of bats elsewhere, including <u>African countries</u>.

Scientists on the continent do keep a watch by doing bio-surveillance and specifically looking for pieces of coronavirus genomes in bat species. If these are found, the researchers can determine the <u>genome sequence</u> and analyse how it is related to other animal and human coronaviruses.

If it's closely related, it may be an indication of where the spillover of new viruses came from and whether it poses a risk of a disease outbreak.

The horseshoe bat genus is found around the world and there are 40 species in Africa. But so far no viruses related to the cause of COVID-19 disease have been reported from African <u>bat species</u>.

## The lesson from SARS

Global surveillance for coronavirus diversity in bats has expanded rapidly in the past two decades because of a previous novel coronavirus disease <u>outbreak</u>, severe acute respiratory syndrome (SARS), in China in



2002. This virus resulted in significant illness and death (10%) among human populations. It also spread globally due to travel. The virus appeared to have <u>originated in animals</u> and "jumped" to humans for the first time.

At first, it was thought that masked palm civets and raccoon dogs were the <u>animal hosts</u> for the SARS virus. But it later appeared that they were probably infected by another reservoir source. The horseshoe bat genus hosted viruses similar to SARS but these were sufficiently different to rule out a direct spillover from bats.

Still, the similarity gave rise to a lot of research into Chinese <u>horseshoe</u> <u>bat</u> species. After 11 years of <u>continued surveillance</u>, viruses were identified that were nearly identical to human SARS. They were also capable of using the same binding receptor as human SARS coronavirus. This indicated the potential for direct infection from bats to humans—a feature that most bat-borne SARS-related viruses were lacking.

These viruses in bats weren't directly linked to the human outbreak. But it did indicate that spillover of these viruses circulating in bat populations was possible when opportunities for contact occurred. No new cases of SARS have been reported since 2004 but the continued presence of various SARS-related strains in horseshoe bat populations makes re-emergence possible.

Thanks to all the efforts to identify the potential reservoir of SARS, many coronavirus viral sequences have been detected in bats globally.





No SARS related coronaviral sequences have been detected in bats in Southern Africa.But surveillance must be improved. Credit: Dr. Low de Vries, University of Pretoria, Author provided

## **Studying African bats**

Work done in South Africa by <u>our group</u> has not detected any viruses related to SARS or the COVID-19 disease in local bats.

Coronavirus <u>surveillance studies</u> in bats in other African countries have been mostly one-off studies and haven't included all the species or considered seasonal shedding of viruses. Highly diverse and novel



<u>coronavirus sequences</u> were reported in cases where surveillance studies were performed. This contributed to the hypothesis that bats were the original evolutionary source.

Viral sequences distantly related to SARS were identified in <u>horseshoe</u> <u>bats</u> collected in <u>Rwanda</u> and Uganda and the free-tailed bat (Chaerephon) genus in <u>Kenya</u>. Because SARS-related viruses are so strongly associated with horseshoe bats, though, the free-tailed bat is not considered an important host for transmission.

The sequences found in Rwanda, Uganda and Kenya are not SARS, though they have some genetic relatedness. They do not pose a direct spillover risk and haven't been shown to be able to infect human cells. There have not been any human outbreaks of SARS or other coronaviruses linked to bats on the continent.

Most countries in Africa do not have active programmes in place to watch for corona- and other bat-borne viruses in bats and to understand their epidemiology and ecology. We do know that bat coronaviruses are excreted in faecal material, which makes it easier to transmit them through bat populations and creates opportunities for exposure to other species.

## Novel coronaviruses

No outbreaks of coronaviruses with a link to bats have been reported in Africa. But we still need to be vigilant.

Coronaviruses are known to have a high mutation rate and can recombine with other coronaviruses, creating new <u>virus</u> variants with the potential to emerge as outbreak viruses in humans. The emergence of novel coronaviruses is also strongly <u>linked</u> to a high diversity present in host populations and to contact between bats, humans and other animals,



creating opportunities for spillover.

Understanding viral presence and diversity is the first step. And further understanding of the many factors that may play a role in the spillover of pathogens from <u>bats</u> to humans requires systematic surveillance of bat populations through a variety of disciplines.

This is particularly needed on the African continent in view of high species diversity and other pressures.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: Why it's important to study coronaviruses in African bats (2020, February 19) retrieved 5 May 2024 from https://medicalxpress.com/news/2020-02-important-coronaviruses-african.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.