

Physiotherapy could be done at home using virtual reality

February 28 2020



A screenshot of the avatar that patients would follow. Credit: University of Warwick

Virtual reality could help physiotherapy patients complete their exercises at home successfully thanks to researchers at WMG, University of Warwick, who managed to combine VR technology with 3-D motion capture.


Currently prescribed [physiotherapy](#) often requires patients to complete regular exercises at home. Outside of the clinic, patients rarely receive any guidance other than a leaflet of sketches or static photographs to instruct them how to complete their exercises. This leads to poor adherence, with patients becoming anxious about not getting the [exercise](#) right, or simply getting bored by the repetitiveness of the movements.

The advent of consumer virtual reality technology combined with 3-D motion capture allows real movements to be accurately translated onto an avatar that can be viewed in a [virtual environment](#). Researchers at the Institute of Digital Healthcare, WMG, University of Warwick are investigating whether this technology can be used to provide guidance to physiotherapy patients, by providing a virtual physiotherapist in the home to demonstrate the prescribed exercises.

Their paper, 'Timing and correction of stepping movements with a [virtual reality](#) avatar' published today the 28th of February, in the Journal *PLOS ONE*, has focused on whether people are able to accurately follow the movements of a virtual avatar.

Researchers had to investigate whether people were able to accurately coordinate and follow the movements of an avatar in a virtual environment. They asked participants to step in time with an avatar viewed through a VR headset.

Unknown to the participants, the researchers subtly slowed down or speeded up one of the avatar's steps, such that the participants would have to correct their own stepping [movement](#) to stay in time. The effect this correction had on their step timing and synchronisation with the avatar was measured.



The key findings displayed in a graph. Credit: University of Warwick

Lead author, Omar Khan from WMG, University of Warwick commented:

"If participants were observed to correct their own stepping to stay in time with the avatar, we knew they were able to accurately follow the

movements they were observing.

"We found that participants struggled to keep in time if only [visual information](#) was present. However, when we added realistic footstep sounds in addition to the visual information, the more realistic multisensory information allowed participants to accurately follow the [avatar](#)."

Dr. Mark Elliott, Principal investigator on the project at WMG, University of Warwick added:

"There is huge potential for consumer VR technologies to be used for both providing guidance to physiotherapy exercises, but also to make the exercises more interesting. This study has focused on the crucial question of how well people can follow a virtual guide."

Prof. Theo Arvanitis, co-author and Director of the Institute of Digital Healthcare, said:

"Our work and digitally-enabled technological solution can underpin transformative health innovations to impact the field of physiotherapy, and have a direct benefit to patients' rehabilitation. "We now plan to investigate other types of movements working closely in partnership with physiotherapists, to establish the areas of physiotherapy that will benefit most from this technology."

More information: *PLOS ONE* (2020). journals.plos.org/plosone/article?id=10.1371/journal.pone.0229641

Provided by University of Warwick

Citation: Physiotherapy could be done at home using virtual reality (2020, February 28) retrieved 1 May 2024 from

<https://medicalxpress.com/news/2020-02-physiotherapy-home-virtual-reality.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.