


Successful transcatheter mitral valve repair that enhances postoperative recovery

February 25 2020



Transcatheter mitral valve implantation. Credit: Osaka University

A group of researchers led by Professor Yoshiki Sawa of the Cardiovascular Group in the Graduate School of Medicine, Osaka University, succeeded, in beating-heart surgery, to repair a mitral valve.

They reconstructed the chordae tendineae using a guiding catheter to implant a mitral valve onto a [beating heart](#) through a small incision of about 4 cm in the left thorax. Conventionally, this type of surgery is performed using artificial [heart-lung](#) apparatus because it is necessary to temporarily stop the heart.

Left untreated, severe mitral valve regurgitation can cause heart enlargement, arrhythmia, [cardiac arrest](#), and pulmonary vascular congestion, so mitral valve replacement or mitral valve repair is required. Heart valve surgery is generally performed with [open-heart surgery](#) after cardioplegic solution is injected into the coronary vessels in order to temporarily stop the heart, imposing a heavy burden on patients. Because the use of artificial heart lung apparatus causes complications, such as brain infarction and temporarily reduced cardiac function, mitral valve surgery is performed only on patients with progressed symptoms and heart enlargement.

This group developed a wide variety of treatments for serious cardiac failure, such as skeletal myoblast cell sheet transplantation and regenerative medicine using iPS cells. They also made active efforts to promote minimally invasive heart surgery and, in 2009, they succeeded in Japan's first transcatheter aortic valve implantation (TAVI), which does not cut open the patient's chest and the heart is not stopped.

This time, as a new medical treatment, this group successfully performed Japan's first beating mitral valve surgery using the advanced surgical repair technique NeoChord.

Since this treatment method has advantages due to the disuse of artificial heart lung apparatus, i.e., brain infarction and other complications can be avoided and more favorable and earlier postoperative recovery expected, it is a promising minimally invasive heart surgery with increased safety. It is helpful in treating patients who cannot undergo heart surgery using

artificial lung apparatus because of chronic diseases and existing complications.

This treatment approach will develop minimally invasive heart [surgery](#), improve [patient safety](#), and eventually lead to early stage treatment and better prognosis of patients. It will allow for minimally invasive treatment on high-risk patients who were thought to be incurable by conventional [mitral valve](#) replacement.

Provided by Osaka University

Citation: Successful transcatheter mitral valve repair that enhances postoperative recovery (2020, February 25) retrieved 26 June 2024 from <https://medicalxpress.com/news/2020-02-successful-transcatheter-mitral-valve-postoperative.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.