

Vaping changes oral microbiome, increasing risk for infection

February 26 2020



Credit: CC0 Public Domain

Using e-cigarettes alters the mouth's microbiome—the community of bacteria and other microorganisms—and makes users more prone to inflammation and infection, finds a new study led by researchers at



NYU College of Dentistry.

The study—published in *iScience*, a Cell Press journal—is the first to demonstrate that vaping changes the oral microbiome and adds to our limited understanding of the safety profile of e-cigarettes.

The mouth is a gateway to the body and harbors many microbial species that colonize our respiratory and digestive tracts. It is well established that smoking <u>traditional cigarettes</u> raises the risk of gum disease and infection by bringing about physiological and structural changes, fostering an environment in which certain infection-causing bacteria flourish and contributing to immune dysfunction.

E-cigarettes—handheld devices in which nicotine is inhaled in a vapor—are thought to be less harmful than cigarettes, but little research (and no long-term data) exist on the safety of e-cigarettes. While vaping has quickly grown in popularity in recent years, a growing number of people are falling ill or dying from vaping-related illnesses.

"Given the popularity of vaping, it is critical that we learn more about the effects of <u>e-cigarette</u> aerosols on the oral microbiome and host <u>inflammatory responses</u> in order to better understand the impact of vaping on <u>human health</u>," said Xin Li, Ph.D., associate professor of basic science and craniofacial biology at NYU College of Dentistry and the study's co-senior author.

"The oral microbiome is of interest to us because research shows that changes in its microbial community as a result of environmental and host factors contribute to a range of health issues, including cavities, gum disease, halitosis, and medical conditions such as diabetes, cardiovascular disease, and cancers," said Deepak Saxena, Ph.D., professor of basic science and craniofacial biology at NYU College of Dentistry and the study's co-senior author.



In this study, Li, Saxena, and their colleagues examined e-cigarette vapor and its influence on the oral microbiome and immune health. They also evaluated how vaping influences infection efficiency of oral pathogens in <u>cell lines</u> using a novel e-cigarette aerosol generating machine and measured pro-inflammatory immune mediators.

Through oral exams and saliva samples, the researchers studied the <u>oral</u> <u>microbiome</u> of 119 human participants from three groups: e-cigarette users, regular cigarette smokers, and those who had never smoked. Gum disease or infection was significantly higher among cigarette smokers (72.5 percent), followed by e-cigarette users (42.5 percent) and non-smokers (28.2 percent).

Using 16S rRNA high throughput sequencing, a technique used to profile microbial communities, the researchers observed different microorganisms in the saliva of e-cigarette users, cigarette smokers, and non-smokers. For instance, e-cigarette users had an abundance of Porphyromonas bacteria, while an increase in Veillonella bacteria was found in both e-cigarette and cigarette users.

"The predominance of these periodontal pathogens in the mouths of ecigarette users and traditional smokers is a reflection of compromised periodontal health," said Li.

The researchers also found that the altered microbiome in e-cigarette users influenced the local host immune environment compared to nonsmokers and cigarette smokers. IL-6 and IL1 β —cytokines involved in inflammatory responses—were highly elevated in e-cigarette users. Cell studies also showed upregulation of IL-6 after exposure to e-cigarette aerosols, resulting in an elevated inflammatory response. Moreover, e-cigarette aerosols made cells prone to bacterial infection, which points to a greater risk for infection in e-cigarette users.



"Our study suggests that vaping electronic cigarettes causes shifts in the oral environment and highly influences the colonization of complex microbial biofilms, which raises the risk for oral inflammation and infection," said Saxena.

More information: Smruti Pushalkar et al, Electronic Cigarette Aerosol Modulates the Oral Microbiome and Increases Risk of Infection, *iScience* (2020). DOI: 10.1016/j.isci.2020.100884

Provided by New York University

Citation: Vaping changes oral microbiome, increasing risk for infection (2020, February 26) retrieved 5 May 2024 from <u>https://medicalxpress.com/news/2020-02-vaping-oral-microbiome-infection.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.