

Young men unaware of risks of HPV infection and need for HPV vaccination

February 11 2020



HPV is particularly concerning for sexual minority men due to the high prevalence of HIV and smoking in this community and the low HPV vaccination rates overall among men. Credit: Rutgers University

Young sexual minority men—including those who are gay, bisexual, queer or straight-identified men who have sex with men—do not fully



understand their risk for human papillomavirus (HPV) due to a lack of information from health care providers, according to Rutgers researchers.

A Rutgers study published in the *Journal of Community Health*, examined what young sexual minority men—a high-risk and high-need population—know about HPV and the HPV vaccine and how health care providers communicate information about the virus and vaccine.

About 79 million Americans are infected with HPV, with about 14 million becoming newly infected each year, according to the Centers for Disease Control and Prevention. As a sexually transmitted infection, HPV can lead to several types of cancer, including anal and penile cancer, and is particularly concerning for sexual minority men due to the high prevalence of HIV and smoking in this community and the low HPV vaccination rates overall among men.

"Particularly in light of the decades-long focus on gay men's health care as HIV care, there is a missed opportunity for HPV prevention in the community," said study co-author Caleb LoSchiavo, a doctoral student at the Rutgers School of Public Health.

The researchers, who are members of the Rutgers School of Public Heath's Center for Health, Identity, Behavior and Prevention Studies (CHIBPS), analyzed interviews with sexual minority men in their early 20s in New York City and determined they knew little about HPV infection—including transmission, signs, symptoms and cancer risk—and vaccination.

They also found that the men did not prioritize HPV vaccination due to the incorrect perception that HPV is an issue that exclusively or primarily affected women.



"Everyone who is sexually active—regardless of gender, sexual orientation, partners' genders, relationship or marital status—should talk to their doctor about receiving the HPV vaccine to prevent a <u>future</u> generation who may develop HPV-related cancers, such as cervical, oral and anal cancer, as we have seen emerging in Baby Boomers and Gen-Xer s," said Perry N. Halkitis, Rutgers School of Public Health dean, CHIBPS director, and PI of the study.

The U.S. Food and Drug Administration has expanded the use of HPV vaccine to people between the ages of 27 to 45. Originally, it was prescribed for those between the ages of 9 to 26.

In the study, researchers found that health care providers rarely discuss HPV and the HPV vaccine with patients who are young sexual minority men, and when they do, their communication is often inadequate in conveying potential risks of HPV and benefits of vaccination.

"Clinicians have a direct role in expanding the availability of LGBTQ-competent healthcare," said lead author Jessica Jaiswal, an assistant professor at the University of Alabama, and CHIBPS affiliate. "By learning about sexual minority men's diverse health needs and routinely offering the HPV <u>vaccine</u>, we can move toward a <u>health</u> promotion model and not only a disease prevention model."

More information: Jessica Jaiswal et al, Misinformation, Gendered Perceptions, and Low Healthcare Provider Communication Around HPV and the HPV Vaccine Among Young Sexual Minority Men in New York City: The P18 Cohort Study, *Journal of Community Health* (2020). DOI: 10.1007/s10900-019-00784-w

Provided by Rutgers University



Citation: Young men unaware of risks of HPV infection and need for HPV vaccination (2020, February 11) retrieved 25 April 2024 from https://medicalxpress.com/news/2020-02-young-men-unaware-hpv-infection.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.