


Artificial intelligence can speed up the detection of stroke

March 30 2020



Examples of the manual and automated lesion segmentations. The first column shows the original DWIs, the second column shows the manual delineation of the acute ischemic lesions, and the third column demonstrate the results given by the proposed method. Credit: University of Turku

Timely detection and accurate segmentation of acute ischemic stroke (AIS) lesions on magnetic resonance images (MRIs) are essential for the triaging patient for endovascular therapy. Lesion segmentation is a routine process where the abnormal areas within brain images are qualitatively and manually picked by expert radiologists. However, manual lesion segmentation is time consuming and suffers from operator-bias. Accordingly, efficient and low-cost approaches for AIS lesion screening are yet to be introduced.

This research introduces a novel and fully automated technique for detection and [segmentation](#) of AIS lesions on MRIs and classification of images into stroke and non-stroke. This fully automated anomaly-detection method compares diffusion weighted images (DWIs) and apparent diffusion coefficients (ADC) images of the subjects with a group of healthy images in voxel-level. Areas with hyperintensity on DWI and hypointensity on ADC are identified as lesions and saved as lesion masks. The lesion segmentation method was investigated on approximately 100 cases. Since there is a risk of false lesion identification due to the artifacts, noises, and image low resolution, the lesion masks created by the method are screened and filtered via a binary classifier which either confirms that the created lesion mask contains a real AIS lesion or not. The classification performance was evaluated on about 200 MRIs.

The published results in the *Journal of Neuroscience Methods* show good agreement with the manually drawn [lesions](#) by experts (gold standard). The whole approach, including lesion segmentation and image classification, is straightforward, fast and does not require high computation power and memory.

"We believe that this method has the capacity to be implemented on an

ordinary desktop workstation integrated into the routine clinical diagnostic pipelines of the hospitals. This approach can help the radiologists to speed up the workflow of lesion detection and to reduce the operator bias in lesion segmentation owing to the reproducibility of the method", tells project researcher Sanaz Nazari-Farsani from Turku PET Centre.

More information: Sanaz Nazari-Farsani et al, Automated segmentation of acute stroke lesions using a data-driven anomaly detection on diffusion weighted MRI, *Journal of Neuroscience Methods* (2020). [DOI: 10.1016/j.jneumeth.2019.108575](https://doi.org/10.1016/j.jneumeth.2019.108575)

Provided by University of Turku

Citation: Artificial intelligence can speed up the detection of stroke (2020, March 30) retrieved 26 April 2024 from <https://medicalxpress.com/news/2020-03-artificial-intelligence.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--